


Kingston Technology 64GB, DDR5, 5600MT/s, ECC, Registered, DIMM, CL46, x80, 2RX4, 1.1V, 288-pin

Gamintojas: **KINGSTON** · Modelis: **KSM56R46BD4PMI-64HAI** · EAN: **740617337198** · Prekės kodas: **540318**



2 571,90 €

Kaina su PVM

Be PVM: **2 125,54 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ PC/Server 64 GB DDR5 5600 MT/s
- ✓ 288-pin DIMM 1 x 64 GB
- ✓ CAS latency: 46
- ✓ 1.1 V
- ✓ ECC



Aprašymas

Operating temperature (T-T): 0 - 95 °C | Row cycle time: 48 ns | ECC: Yes | Programming power voltage (VPP): 1.8 V | Memory voltage: 1.1 V | Memory data transfer rate: 5600 MT/s | Width: 133.3 mm | Memory layout (modules x size): 1 x 64 GB | Cooling type: Heatsink | SPD profile: Yes | Memory ranking: 2 | Memory form factor: 288-pin DIMM | Storage temperature (T-T): -55 - 100 °C | Row active time: 32 ns | JEDEC standard: Yes | Internal memory type: DDR5 | Compliance certificates: RoHS | Row Precharge Time (TRP): 16 | Buffered memory type: Registered (buffered) | On-Die ECC: Yes | Component for: PC/Server | CAS latency: 46 | Doesn't contain: Halogen | Module configuration: 8192M x 80 | Refresh row cycle time: 295 ns | Internal memory: 64 GB | Height: 31.2 mm | Lead plating: Gold | Sustainability compliance: Yes

Techninė specifikacija

Features

Internal memory	64 GB
Memory layout (modules x size)	1 x 64 GB
Internal memory type	DDR5
Memory data transfer rate	5600 MT/s
Component for	PC/Server
Memory form factor	288-pin DIMM
ECC	Yes
On-Die ECC	Yes
CAS latency	46
Buffered memory type	Registered (buffered)
Memory ranking	2
Memory voltage	1.1 V
Module configuration	8192M x 80
Row cycle time	48 ns
Refresh row cycle time	295 ns
Row active time	32 ns
Row Precharge Time (TRP)	16
SPD profile	Yes
Programming power voltage (VPP)	1.8 V
Cooling type	Heatsink
Lead plating	Gold
JEDEC standard	Yes
Operational conditions	
Operating temperature (T-T)	0 - 95 °C
Storage temperature (T-T)	-55 - 100 °C
Sustainability	
Compliance certificates	RoHS
Sustainability compliance	Yes
Weight & dimensions	
Width	133.3 mm
Height	31.2 mm
Other features	
Doesn't contain	Halogen
Matmenys ir svoris	

Matmenys (l × P × A)	1,00cm × 16,00cm × 5,00cm
Svoris	0,03kg