



Canon i-SENSYS MF461dw II Laser A4 1200 x 1200 DPI 36 ppm Wi-Fi

Modelis: 7188C019

Gamintojas: CANON

EAN: 4549292248852

Prekės kodas: 540393

407.99€

ID-card copy function: Yes | Paper tray media types: Thin paper | Paper tray media types: Heavy paper | Scanning: Colour scanning | Non-ISO print media sizes: Oficio | Duplex copying mode: Auto | Non-ISO print media sizes: Executive | Paper tray media types: Labels | Non-ISO print media sizes: Letter | Scanner type: ADF scanner | Paper tray media types: Recycled paper | Non-ISO print media sizes: Statement | Paper tray media types: Plain paper | Duplex printing: Yes | ISO A-series sizes (A0...A9): A4 | ISO B-series sizes (B0...B9): B5 | Scan drivers: ICA | Mobile printing technologies: Canon PRINT Business | Duplex functions: Print | Duplex functions: Copy | Power consumption (printing): 480 W | Duplex functions: Scan | Multi-Purpose Tray media weight: 60 - 199 g/m² | Paper tray media weight: 60 - 120 g/m² | Mobile printing technologies: Apple AirPrint | Paper tray media types: Postcard | Non-ISO print media sizes: Legal | Recommended duty cycle: 750 - 4000 pages per month | Total number of input trays: 1 | Print speed (black, normal quality, A4/US Letter): 36 ppm | Server operating systems supported: Windows Server 2022 | Server operating systems supported:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Control type: Touch | Faxing: No | Server operating systems supported: Windows Server 2012 | Scan drivers: TWAIN | Time to first copy (black, normal): 6.1 s | Duplex copying: Yes | Time to first page (black, normal): 5 s | Scan drivers: WIA | Server operating systems supported: Windows Server 2019 | Paper tray media types: Envelopes | Internal memory: 1024 MB | Maximum copy resolution: 600 x 600 DPI | Copying: Mono copying | Mobile printing technologies: Mopria Print Service | Page description languages: PostScript 3 | Maximum ISO A-series paper size: A4 | Multi-Purpose tray input capacity: 100 sheets | Maximum duty cycle: 80000 pages per month | Duplex scanning: Yes | Power consumption (sleep): 0.9 W | Page description languages: PCL 5e | Greyscale levels: 256 | Page description languages: UFR II | Number of print cartridges: 1 | Internal storage capacity: 4 GB | Printing colours: Black | ISO A-series sizes (A0...A9): A6 | Warm-up time: 14 s | Management protocols: SNMPv1, SNMPv3 | Input colour depth: 24 bit | Output colour depth: 24 bit | ISO A-series sizes (A0...A9): A5 | Maximum number of copies: 999 copies | Page description languages: PCL 6 | USB port: Yes | Power consumption (standby): 8 W | Built-in processor: Yes | Scan to: Cloud | Total output capacity: 150 sheets | Envelopes sizes: Monarch | Maximum input capacity: 900 sheets | Scan to: FTP | Envelopes sizes: Com-10 | Scan to: PC | Maximum resolution: 1200 x 1200 DPI | Envelopes sizes: DL | N-in-1 copy function: Yes | Scan to: E-mail | Envelopes sizes: C5 | Scan to: USB | Total input capacity: 250 sheets | Secure printing: Yes | Multi-Purpose tray: Yes | Ethernet LAN: Yes | Direct printing: Yes | Depth: 460 mm | Display: LCD | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Mac operating systems supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.7 Lion | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | Built-in display: Yes | Wi-Fi standards: 802.11g | Processor frequency: 1200 MHz | Wi-Fi standards: 802.11b | Product colour: Black | Weight: 16.3 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Cabling technology: 10/100/1000Base-T(X) | AC input frequency: 50/60 Hz | N-in-1 copy function (N=): 2 | Operating relative humidity (H-H): 20 - 80% | Height: 375 mm | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 10 | Power consumption (max): 1280 W | N-in-1 copy function (N=): 4 | Wi-Fi: Yes | Operating temperature (T-T): 10 - 30 °C | Custom media length: 128 - 355.6 mm | AC input voltage: 220 - 240 V | Copier resize: 25 - 400% | Print technology: Laser | Linux operating systems supported: Yes | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Mac operating systems supported: Mac OS X 13.0 Ventura | Security algorithms: WPA-PSK | Security algorithms: WPA2-PSK | Security algorithms: WPA2-EAP | Security algorithms: WPA-AES | Security algorithms: 128-bit WEP | Security algorithms: WPA-TKIP | Security algorithms: WPA2-TKIP | Security algorithms: 64-bit WEP | Security algorithms: WPA2-AES | Optical scanning resolution: 600 x 600 DPI | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Security algorithms: WPA-EAP | Width: 420 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: Mac OS X 10.7.5 Lion | Custom media width: 105 - 215.9 mm