

ASUS ATS-750G power supply unit 750 W 20+4 pin ATX ATX Black

 Gamintojas: **ASUS** · Modelis: **90YE04A1-B0NC00** · EAN: **4711387870020** · Prekės kodas: **540443**


71,90 €

Kaina su PVM

 Be PVM: **59,42 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Dual ball fan bearings that can last up to twice as long as sleeve bearing designs.
- ✓ An 80 Plus Gold Certification is the result of low-ESR electrolytic capacitors and other premium components.
- ✓ Etched cables can be bent easily during installation.



Aprašymas

ASUS 750W-ATS Gold PSU brings efficient and durable power delivery to all-round PCs, and gaming rigs.

With 80+ Gold certification, dual ball fan bearings, etched cables and a 3-year warranty, the PSU brings efficient and durable power delivery to reliable performance for the system build.

80 Plus Gold Certification

Heart of gold

The PSU features efficient, low-ESR capacitors to ensure efficient operation — affording it 80 PLUS® Gold status. This means it delivers up to 92% efficiency, resulting in less heat, reduced fan noise, and increased reliability.

COOLING

Dual Ball Fan Bearings

2X Longer Lifespan

Dual ball bearings boast an extensive lifespan of up to 80,000 hours, lasting twice as long as sleeve bearings and exceeding even fluid dynamic bearings. This means long-lasting, reliable cooling with minimal noise when you choose the PSU.

EXPERIENCE

Etched Cables

Made from a pliable premium material, these etched cables are easily flexible during installation, and they operate at temperatures 50°C lower than the safety limit when routed for cable management. These cables also meet the rigorous standards of the UL1581 flame test and UL758 certification, helping to ensure a smooth PC DIY experience and exceptional safety.

DIY-friendly CPU Power Connector

Engineered with a distinct clip between the 4+4 pin connectors and a unique color scheme, this CPU power cable simplifies cable identification during installation. The integrated clip helps to ensure a secure and effortless connection to the motherboard's CPU power connector, streamlining the build process and instilling confidence in your PC setup.

3-year Warranty

We're so confident about the reliability of the PSUs that we back them with a 3-year warranty.

Techninė specifikacija

Specifications	
Sandėlio grupė	Power supplies for enclosures [+112][-54]
Power	
Total power	750 W
AC input voltage	110 - 240 V
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	100 W
Combined power (+12V)	750 W
Combined power (+5V)	100 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	20 A
Max output current (+12V)	62.5 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Efficiency	92%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage
Ports & interfaces	

Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	3
Motherboard power cable length	55 cm
Number of SATA power connectors	3
PCI Express power connectors (6+2 pin)	2
PCI Express power cable length	67.5 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	65 cm
ATX power connector (20+4 pin)	Yes
Cabling type	Fully-Modular

Performance

Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Gold
Bearing technology	Ball bearing
Mean time between failures (MTBF)	120000 h

Design

Product colour	Black
Cooling type	Active
Number of fans	1 fan(s)
On/off switch	Yes

Packaging content

Cables included	AC, PCIe, SATA
Packaging content	Power Cord x 1 Motherboard Power Cable x 1 (550mm) CPU 1-to-2 Cable x 1 (650+100mm) PCI-E 1-to-2 Cable x 1 (675+100mm) SATA 1-to-3 Cable x 1 (400+120+120mm) Peripheral 1-to-3 Cable x 3 (400+120+120mm) Chassis Screws Package x 1 Quick Start Guide x 1

Certificates

Compliance certificates	RoHS
-------------------------	------

Weight & dimensions

Width	150 mm
Depth	140 mm
Height	86 mm
Weight	1.53 kg

Packaging data

Package width	250 mm
Package depth	180 mm
Package height	115 mm
Package weight	2.78 kg
Package type	Box
Matmenys ir svoris	
Matmenys (l × P × A)	27,00cm × 12,00cm × 18,00cm
Svoris	2,95kg