

TP-Link Tapo C202 Spherical IP security camera Indoor 1920 x 1080 pixels Ceiling/Desk

Gamintojas: **TP-LINK** · Modelis: **Tapo C202** · EAN: **8885020621051** · Prekės kodas: **540848**



33,90 €

Kaina su PVM

Be PVM: **28,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High-Definition Video: Records every image in crystal-clear view
- ✓ Pan and Tilt: 360° horizontal and 113° vertical range
- ✓ Advanced Night Vision: Provides a visual distance of up to 40 ft
- ✓ Motion Detection and Notifications: Notifies you when the camera detects movement
- ✓ Sound and Light Alarm: Trigger light and sound effects to frighten away unwanted visitors
- ✓ Two-Way Audio: Enables communication through a built-in microphone and speaker
- ✓ Safe Storage: Locally stores up to 512 GB on a microSD card
- ✓ Voice Control: Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa. (Google Assistant and Amazon Alexa are not available in all languages and countries)



Aprašymas

Night vision distance: 12 m | Operating temperature (T-T): 0 - 40 °C | Intelligent Video Surveillance (IVS) system features: Quick movement | Video compression formats: H.264 | Ethernet LAN: Yes | Number of cameras: 1 | Frame rate: 15 fps | Intelligent Video Surveillance (IVS) system features: Human detection | Total megapixels: 2 MP | Progressive scan: Yes | AC input voltage: 100-240 V | Cables included: AC | Fixed focal length: 3.83 mm | Storage relative humidity (H-H): 5 - 90% | Optical sensor size: 25.4 / 3 mm (1 / 3") | Security algorithms: WPA2 | Reset button: Yes | Width: 82 mm | Mounting kit: Yes | Built-in light: Yes | Security algorithms: 128-bit AES | Connectivity technology: Wired & Wireless | Maximum aperture number: 2.4

| USB port: No | Maximum resolution: 1920 x 1080 pixels | Wi-Fi: Yes | Sensor type: CMOS | Wi-Fi standards: Wi-Fi 4 (802.11n) | Depth: 82 mm | Compatible memory cards: MicroSD (TransFlash) | Height: 112.6 mm | Wi-Fi standards: 802.11g | Wi-Fi standards: 802.11b | Audio system: 2-way | Mobile operating systems supported: iOS 13 | Mobile operating systems supported: Android 7.0 | Wide Dynamic Range (WDR): Yes | Card reader integrated: Yes | Supported video modes: 1080p | AC input frequency: 50-60 Hz | LED type: 1 IR LED | Built-in HDD: No | Storage temperature (T-T): - 40 - 70 °C | Operating relative humidity (H-H): 10 - 95% | Mounting type: Desk/Ceiling | Maximum memory card size: 512 GB | Product colour: White | Built-in microphone: Yes | Screws included: Yes | Power source type: Power socket | Placement supported: Indoor | Lens viewing angle, vertical: 46.65° | Built-in speaker(s): Yes | Live view: Yes | Lens viewing angle, diagonal: 107.52° | Lens viewing angle, horizontal: 88.11° | Siren noise level: 90 dB | Motion sensor: Yes | Mounting brackets included: Yes | Weatherproof: No | Night vision: Yes | Compliance certificates: CE | Compliance certificates: BSMI | Compliance certificates: KC | Compliance certificates: NCC | Compliance certificates: RCM | Compliance certificates: Federal Communications Commission (FCC)

Techninė specifikacija

Specifications	
Sandėlio grupė	Video cameras [+106][-142]
Performance	
Type	IP security camera
Placement supported	Indoor
Connectivity technology	Wireless
Wide Dynamic Range (WDR)	Yes
Design	
Mounting type	Ceiling/Desk
Product colour	Black, White
Form factor	Spherical
Camera	
Camera pan control	Yes
Camera tilt control	Yes
Lens viewing angle, horizontal	88.11°
Lens viewing angle, vertical	46.65°
Lens viewing angle, diagonal	107.52°
Tilt angle range	0 - 70°
Pan range	0 - 340°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Lens system	
Number of lenses	1
Zoom capability	Yes

Focal length range	3.83 mm
Maximum aperture number	2.4
Fixed focal length	4 mm
Night vision	
Night vision	Yes
Infra-red wavelength	850 nm
Video	
Maximum resolution	1920 x 1080 pixels
Video compression formats	H.264
Frame rate	30 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Audio detection	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
DC-in jack	Yes
Security	
Built-in siren	Yes
Siren noise level	90 dB
Video motion detection	Yes
Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK

Management features

Cloud-managed	Yes
---------------	-----

Reset button	Yes
--------------	-----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Storage temperature (T-T)	-40 - 70 °C
---------------------------	-------------

Operating relative humidity (H-H)	10 - 95%
-----------------------------------	----------

Storage relative humidity (H-H)	5 - 90%
---------------------------------	---------

Packaging content

Number of cameras	1
-------------------	---

Screws included	Yes
-----------------	-----

Packaging content	Tapo C200C Camera Power Adapter Quick Start Guide Mounting Screws Mounting Template Mounting Anchors
-------------------	--

Matmenys ir svoris

Matmenys (I × P × A)	18,00cm × 11,00cm × 18,00cm
----------------------	-----------------------------

Svoris	0,47kg
--------	--------