

ASUS TUF-GAMING-750G-EVO power supply unit 750 W 20+4 pin ATX ATX Black

Gamintojas: **ASUS** · Modelis: **90YE00SB-B0NA00** · EAN: **4711636287876** · Prekės kodas: **541184**



149,89 €

Kaina su PVM

Be PVM: **123,88 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Military-grade capacitors provide premium durability.
- ✓ Dual-Ball Fan Bearings can last up to twice as long as sleeve bearing designs.
- ✓ Protective PCB coating protects against moisture, dust, and extreme temperatures.
- ✓ 80 Plus & Cybenetics Gold certified: Japanese capacitors and premium components deliver industry-leading power efficiency.
- ✓ ATX 3.1 Compatible: TUF Gaming Gold EVO series is compliant with ATX 3.1 guidelines and bundled with a 16-pin PCIe® cable that is compatible with PCIe Gen 5.1 graphics cards.
- ✓ Fully modular etched cables keep your rig neat and tidy.



Aprašymas

TUF Gaming Gold EVO Series

Built For The Long Haul

The ASUS TUF Gaming 750W Gold EVO packs military-grade strength, a flagship fan design, and PCB protection for efficient, durable power delivery. The result is a PSU that can reliably fuel your rig for years to come.

Techninė specifikacija

Specifications

Sandėlio grupė Power supplies for enclosures [+112][-54]

Power

Total power	750 W
AC input voltage	100 - 240 V
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	110 W
Combined power (+12V)	750 W
Combined power (+5V)	110 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	20 A
Max output current (+12V)	62.5 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Power protection features	Overheating, Over current, Over power, Under voltage, Over voltage, Short circuit

Ports & interfaces

Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	2
Motherboard power cable length	50 cm
Number of SATA power connectors	4
SATA power cable length	400,120 mm
Peripheral (Molex) power cable length	400,120 mm
PCI Express power connectors (6+2 pin)	2
PCI Express power connectors (16-pin)	1
CPU power connector (4+4 pin)	Yes
Cabling type	Fully-Modular

Performance

Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Gold
ATX version	3.1
Bearing technology	DBB

Mean time between failures (MTBF)	120000 h
-----------------------------------	----------

Design

Product colour	Black
Cooling type	Active
Number of fans	1 fan(s)
Fan location	Top
On/off switch	Yes

Packaging content

Cables included	CPU, PCIe, Peripheral (Molex), SATA
-----------------	-------------------------------------

Weight & dimensions

Width	140 mm
Depth	150 mm
Height	86 mm
Weight	1.32 kg

Packaging data

Package width	320 mm
Package depth	182 mm
Package height	127 mm
Package weight	2.06 kg
Package type	Box

Matmenys ir svoris

Matmenys (l × P × A)	19,00cm × 29,00cm × 13,00cm
Svoris	2,46kg