




**GIGABYTE  
B860M DS3H  
Motherboard -  
Intel Core Ultra  
Series CPUs,  
5+1+2+1  
Phases VRM, up  
to 9066MHz  
DDR5, 1xPCIe  
5.0 + 1xPCIe 4.0  
M.2, 2.5GbE  
LAN, USB 3.2  
Gen 2**

Modelis: B860M DS3H

Gamintojas: GIGABYTE

EAN: 4719331866709

Prekės kodas: 541244

---

**143.99€**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | Supported processor sockets: LGA 1851 | Package height: 54 mm | Supported memory clock speeds: 6400 | Supported memory clock speeds: 5600 | Supported memory clock speeds: 9066 MHz | Supported storage drive types: HDD & SSD | Maximum internal memory: 256 GB | Number of chassis fan connectors: 2 | Supported storage drive interfaces: M.2, SATA III | BIOS type: UEFI AMI | Number of SATA III connectors: 4 | Audio chip: Realtek ALC897 | Package depth: 265 mm | TPM connector: Yes | PC health monitoring: Voltage | PC health monitoring: Fan | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | Ethernet LAN (RJ-45) ports: 1 | LAN controller: Realtek RTL8125 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | USB 2.0 connectors: 2 | RAID support: Yes | Cooling type: Passive | ATX Power connector (24-pin): Yes | Weight: 1 kg | CPU fan connector: Yes | DisplayPorts quantity: 2 | Country of origin: China | Maximum resolution: 4096 x 2160 pixels | Power source type: ATX | RAID levels: 1 | Lithium weight per battery: 0.07 g | HDCP: Yes | PC health monitoring: Water cooling | Number of M.2 (M) slots: 2 | USB 2.0 ports quantity: 3 | Motherboard chipset family: Intel | PC health monitoring: Temperature | DirectX version: 12.0 | Unbuffered memory: Yes | DisplayPort version: 2.1 | Parallel processing technology support: Not supported | Product colour: Dark brown | Front panel connector: Yes | Package width: 265 mm | EPS power connector (8-pin): Yes | Motherboard chipset: Intel B860 | RAID levels: 10 | Windows operating systems supported: Windows 10 x64 | Motherboard form factor: micro ATX | Windows operating systems supported: Windows 11 x64 | Audio output channels: 7.1 channels | RAID levels: 5 | Warranty period: 3 year(s) | Front panel audio connector: Yes | Clear CMOS jumper: Yes | RAID levels: 0 | Package weight: 1.09 kg | ECC compatibility: ECC & Non-ECC | Depth: 244 mm | Ethernet LAN: Yes | Width: 244 mm | Number of HDDs supported: 4 | Supported memory types: DDR5-SDRAM | Memory slots type: DIMM | Battery weight: 3 g | Number of memory slots: 4 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 1 | Products per shipping (inner) case: 1 pc(s) | RGB LED pin header: Yes | Desktop Management Interface (DMI) version: 2.7 | Microphone in: Yes | PCI Express x16 (Gen 4.x) slots: 5 | PS/2 ports quantity: 1 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Headphone outputs: 1 | HDMI version: 2.1 | Line-in: Yes | Batteries included: Yes | HDMI ports quantity: 1 | Number of battery cells: 1 | Wi-Fi: No | Memory channels: Dual-channel | Battery type: CR2032 | Ethernet interface type: 2.5 Gigabit Ethernet | Height: 35 mm | Compatible processor series: Intel Core Ultra (Series 2) | Compatible processor series: Intel® Core™ Ultra (Series 1) | Processor manufacturer: Intel | Number of storage drives supported: 6 | Screws included: Yes | Processor socket: LGA 1851 (Socket V1) | Supported memory clock speed (max): 9066 MHz | Number of CPU fan connectors: 2 | Number of RGB LED pin headers:

#### 4 | Warnings: When disposing of the product, follow local regulations for the recycling of electronics.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

| Number of EPS power connectors (8-pin): 1 | Warnings: Do not open or modify the motherboard to prevent damage. | 1st M.2 highest PCI Express generation: 5.0 | 1st M.2 largest key size: 2280 | Warnings: In case of installation problems, contact a qualified service technician. | 2nd M.2 highest PCI Express generation: 4.0 | 2nd M.2 largest key size: 2280 | Number of water pump connectors: 2 | PCI Express x16 (Gen 5.x) slots: 1 | Maximum internal memory per slot: 64 GB