


ASUS ROG Loki SFX-L 850W Platinum White power supply unit 24-pin ATX

Gamintojas: **ASUS** · Modelis: **90YE00N2-B0NA00** · EAN: **4711081722229** · Prekės kodas: **541547**



253,89 €

Kaina su PVM

Be PVM: **209,83 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 850 W 100 - 240 V
- ✓ Motherboard power connector: 24-pin ATX
- ✓ PC SFX-L 80 PLUS Platinum
- ✓ Active 12 cm
- ✓ White



Aprašymas

The Quietest SFX-L PSU

Taking after the ROG Thor, the ROG Loki SFX-L 850W Platinum White Edition brandishes the same enthusiast-grade components and features, all packed into an SFX-L form factor. Boasting quiet operation and high performance, the Loki is primed to power your next SFF build.

COOLING

ROG Heatsinks

Cool under pressure

ROG heatsinks facilitate lower temperatures, longer component lifespan, and extended 0dB operation.

Axial-tech Fan Design

Better, faster, stronger

Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure. For ROG Loki PSUs, we've scaled that design to 120mm so it keeps things cool at low RPMs while producing less noise.

Dual Ball Fan Bearings

2x longer lifespan

The fan impeller spins on a dual ball bearing setup that will last up to twice as long as a sleeve bearing design.

0dB Technology

Quiet intelligence

To reduce noise output, the PWM-controlled fan shuts off entirely when the PSU load is 40% or below.

Lambda A Certification

Quietly deviant

On average, ROG Loki emits less than 25 dB of noise – earning a coveted Cybenetics Lambda A certification.

ENGINEERING

80 PLUS Platinum Certified

Effortless output

Low-ESR Japanese capacitors further improve efficiency and reduce heat, readying ROG Loki to reliably fuel your build for years to come.

ATX 3.0 Compatible

Step into the future

The latest power specification updates have landed. ATX 3.0 ushers in tighter voltage and current regulation guidelines for next-gen hardware - and ROG Loki steps ahead of the curve by being fully compliant. A 16-pin PCIe cable ripe for piping up to 600W of power to PCIe Gen 5.0 graphics cards is bundled with the PSU, bringing large-scale capabilities to SFF rigs.

EXPERIENCE

ARGB-illuminated Fan & Aura Sync

Magical glow

The Loki's 120 mm fan features eight addressable LEDs ready to be customized with Aura Sync to create coordinated lighting patterns across your build.

* If the connector cable is not used, the default color effect is rainbow.

* To enjoy Aura Sync, you'll need an Aura Sync-compatible ASUS or ROG motherboard. Similarly, the Smart Mode lighting effect, which reflects GPU temperature, requires use of a compatible ASUS or ROG graphics card.

10-Year Warranty

A decade of power

We're so confident about the reliability of the ROG Loki SFX-L 850W Platinum White Edition that we back it with a 10-year worldwide warranty.

*Core product operation is guaranteed for 10 years. The RGB LEDs are subject to a 3-year warranty.

Techninė specifikacija

Specifications

Sandėlio grupė

Power supplies for enclosures [+112][-54]

Power

Total power	850 W
AC input voltage	100 - 240 V
Combined power (+3.3V)	110 W
Combined power (+12V)	850 W
Combined power (+5V)	110 W
Combined power (-12V)	9.6 W
Combined power (+5Vsb)	12.5 W
Max output current (+3.3V)	20 A
Max output current (+12V)	70.8 A
Max output current (+5V)	20 A
Max output current (-12V)	0.8 A
Max output current (+5Vsb)	2.5 A
Power protection features	Over power, Over voltage, Overcharge, Overheating, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	24-pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Motherboard power cable length	45 cm
Number of SATA power connectors	6
SATA power cable length	600 mm
Peripheral (Molex) power cable length	600 mm
PCI Express power connectors (8-pin)	3
PCI Express power connectors (16-pin)	1
PCI Express power cable length	45 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	55 cm
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	SFX-L
80 PLUS certification	80 PLUS Platinum
Supported motherboard form factors	ATX
Bearing technology	Ball bearing
Design	
Product colour	White
Cooling type	Active

Fan diameter	12 cm
Number of fans	1 fan(s)
Illumination	Yes
On/off switch	Yes
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Width	125 mm
Depth	125 mm
Height	63.5 mm
Weight	1.81 kg
Packaging data	
Package width	285 mm
Package depth	190 mm
Package height	100 mm
Package weight	2.5 kg
Package type	Box
Technical details	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 28,00cm × 33,00cm
Svoris	2,40kg