HP LaserJet MFP M234sdn Printer, Black and white, Printer for Small office, Print, copy, scan, Scan to email; Scan to PDF; Compact Size; Energy Efficient; Fast 2 sided printing; 40-sheet ADF

Gamintojas: **HEWLETT-PACKARD** · Modelis: **6GX00F** · EAN: **194850889486** · Prekės kodas: **551579**



153,90 €

Kaina su PVM

Be PVM: **127,19 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Namai ir biuras Lazeris Vienpusis spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 29 ppm
- ✓ Vienpusis kopijavimas Spalvotas skenavimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ Vidinė atmintis: 64 MB Integruotas procesorius 500 MHz
- ✓ 9,5 kg













Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.





Aprašymas

Super productive. Super compact. A high-productivity MFP with the fastest two-sided printing in its class,[2] an automatic feeder, and the time-saving HP Smart app.[6][7] Count on a worry-free experience with simplified setup.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	29 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm
Warm-up time	45 s
Time to first page (black, normal)	7 s
Secure printing	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Copy speed (black, normal quality, A4)	29 cpm
Time to first copy (black, normal)	8 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
Auto fit function	Yes
Scanning	
Scanning	Colour scanning

Duplex scanning	No
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed & ADF scanner
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	TWAIN, Software
Scan speed (colour)	10 ppm
Scan speed (black)	19 ppm
Image formats supported	BMP, JPEG, PNG, TIF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	No

Features

Maximum duty cycle	20000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	200 - 2000 pages per month
Page description languages	PCLmS, PWG, URF
All-In-One-multitasking	Yes
Country of origin	China, Vietnam
Replacement cartridges	HP 135A Black LaserJet Toner Cartridge, W1350A (~1100), HP 135X Black LaserJet Toner Cartridge, W1350X (~2400)
HP segment	Home office

Input & output capacity

Total number of input trays	1
Total input capacity	150 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	150 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	40 sheets
Maximum number of input trays	1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum input capacity	150 sheets
Maximum output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Envelopes, Card stock, Labels, Rough paper, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 354 mm
ISO B-series sizes (B0...B9)	B4, B5
JIS B-series sizes (B0...B9)	B5
Custom media width	101.6 - 216 mm
Custom media length	152.4 - 356 mm
Paper tray media weight	60 - 163 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	500 MHz
Sound pressure level (printing)	51 dB
Sound pressure level (scanning)	45 dB
Sound power level (printing)	6.6 dB
Design	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Product colour	Grey, White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	4.06 cm (1.6")
Control type	Buttons

Power

Power consumption (max)	453 W
Power consumption (PowerSave)	0.6 W
Power consumption (printing)	453 W
Power consumption (ready)	3.3 W
Power consumption (standby)	0.6 W
Power consumption (sleep)	0.6 W
Power consumption (off)	0.04 W
Energy Star Typical Electricity Consumption (TEC)	0.684 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; Update to OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
HP GTIN (EAN/UPC) with options	(ABT) 194850889479; (B19) 194850889486
HP GTIN (EAN/UPC)	194850889479, 194850889486

System requirements

Windows operating systems supported	Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Other operating systems supported	Linux

Operational conditions

Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 32.5 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C

Certificates

Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.

Sustainability

Sustainability certificates	Blue Angel
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	130
Carbon emissions, manufacturing (kg of CO2e)	93
Carbon emissions, logistics (kg of CO2e)	5
Carbon emissions, end-of-life (kg of CO2e)	24
Total carbon emissions, w/o use phase (kg of CO2e)	13

Weight & dimensions

Width	418 mm
Depth	308 mm
Height	294.4 mm
Weight	9.5 kg

Packaging data

Package width	497 mm
Package depth	379 mm
Package height	409 mm
Package weight	12.4 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	700 pages
Cables included	AC
Warranty card	Yes
Bundled software	No CD inbox (expect Indonesia and China Gov); Downloadable Software from hp.com or 123.hp.com; #CD include HP Software Installer, Uninstaller, printer driver and other essential tools

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Logistics data	
Harmonized System (HS) code	8443310000
Pallet gross weight	393.9 kg
Layers per pallet	5 pc(s)
Products per pallet	30 pc(s)
Technical details	
Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-mfp-m232-m237-printer-series/model/30836607?sku=6GX00F ; https://h10032.www1.hp.com/ctg/Manual/c06759742.pdf ; https://h10032.www1.hp.com/ctg/Manual/c06759742.pdf
Box contents	HP LaserJet MFP M234sdn Printer; HP Black LaserJet Toner Cartridge (700 pages); Reference guide; Setup poster; Warranty guide and flyer in some countries; Power cord
Other features	
Number of users	5 user(s)
Power supply type	Built-in 110V or 200V Power Supply
Recommended system requirements	Microsoft Windows 10; 8.1; 8; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer. Apple macOS v10.14 Mojave; macOS v10.15 Catalina; macOS v11 Big Sur; 2 GB HD; Internet required.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.
Custom media sizes	101.6 x 152.4 to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2196 mm
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2196.1 mm (47.2 x 39.4 x 86.5")
Pallet weight (imperial)	393.9 kg (868.5 lbs)
Acoustic power emissions (ready)	26 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	0.684 kWh/Week (Blue Angel)
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	37,00cm × 40,00cm × 49,00cm
Svoris	12,44kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija