HP LaserJet Enterprise M406dn

Gamintojas: **HEWLETT-PACKARD** · Modelis: **3PZ15A** · EAN: **193905205998** · Prekės kodas: **551601**



358,90 €

Kaina su PVM

Be PVM: **296,61 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 38 ppm
- ✓ Abipusis spauzdinimas
- ✓ USB prievadas Ethernet LAN jungtis Bluetooth
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 100000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 350 lapai Bendra išvesties talpa: 150 lapai
- ✓ Vidinė atmintis: 1024 MB Integruotas procesorius 800 MHz












Aprašymas

HP’s entry-level Enterprise-class printer with speeds up to 40 ppm[9] and strongest security.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	38 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	176 s
Time to first page (black, normal)	6.5 s
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	100000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PDF 1.7, PCL 5, PCL 6
Recommended duty cycle	900 - 4800 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Philippines
Replacement cartridges	HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A; HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X
HP segment	Business

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Input & output capacity	
Total number of input trays	2
Total input capacity	350 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	250 sheets
Maximum number of input trays	3
Maximum input capacity	900 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Recycled paper, Envelopes, Labels, Heavy paper, Lightweight paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	3x5,4x6,5x7,5x8
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 175 g/m²
Ports & interfaces	
Direct printing	No
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	No
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	1024 MB
Maximum internal memory	1024 MB
Internal storage capacity	4 GB
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	6.5 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	531 W
Power consumption (max)	531 W
Power consumption (ready)	8.1 W
Power consumption (PowerSave)	0.07 W
Power consumption (off)	0.07 W
Energy Star Typical Electricity Consumption (TEC)	1.189 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Other operating systems supported	Android, iOS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Operational conditions	
Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	30 - 70%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury-free
Doesn't contain	Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	120
Carbon emissions, manufacturing (kg of CO2e)	75
Carbon emissions, logistics (kg of CO2e)	3
Carbon emissions, end-of-life (kg of CO2e)	11
Total carbon emissions, w/o use phase (kg of CO2e)	28
Weight & dimensions	
Width	381 mm
Depth	357 mm
Height	220 mm
Weight	8.5 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2471 mm
Packaging data	
Package width	443 mm
Package depth	278 mm
Package height	464 mm
Package weight	11.4 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	3000 pages
Cables included	AC
Brand-specific features	
HP ePrint	Yes
HP Web Jetadmin	Yes
HP Auto-On/Auto-Off	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
HP Management tools	HP Printer Assistant, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin)
HP GTIN (EAN/UPC) with options	(ABT) 193905233199; (ABY) 193905233205; (ACQ) 193905233212; (B13) 193905481576; (B19) 193905205998; (BAZ) 193905233229
HP GTIN (EAN/UPC)	193905233199, 193905233205, 193905233212, 193905481576, 193905205998, 193905233229

Logistics data

Harmonized System (HS) code	84433210
Pallet gross weight	532 kg
Layers per pallet	4 pc(s)
Products per pallet	36 pc(s)

Technical details

Master (outer) cases per pallet layer	9 pc(s)
Compliance certificates	CECP, GS mark, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m406-series/model/22732207?sku=3PZ15A&serialnumber=3PZ15A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2968165_en-US-1.pdf

Other features

Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser.
Power supply type	Internal (built-in) Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Printing	Mono printing

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended humidity operating range	10 - 90%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	1198.9 x 1000.8 x 2471.4 mm (47.2 x 39.4 x 97.3")
Pallet weight (imperial)	532 kg (1172.9 lbs)
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	Blue Angel: 1.189 kWh/Week; Energy Star 3.0: 0.462 kWh/Week
UNSPSC-code	43212105
Box contents	HP LaserJet Enterprise M406dn printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord
Matmenys ir svoris	
Matmenys (I × P × A)	29,00cm × 45,00cm × 46,00cm
Svoris	10,30kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas 1 objects.icecat.biz/objects/87234981_27561915.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/87234981_63176797.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija