



HP Color LaserJet Enterprise M455dn

Modelis: 3PZ95A#B19

Gamintojas: HEWLETT-PACKARD

EAN: 193905215898

Prekės kodas: 551602

578.99€

Replacement cartridges: HP 415A Black Original LaserJet Toner Cartridge (2,400 pages) W2030A, HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages) W2031A, HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages) W2032A, HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages) W2033A, HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages) W2030X, HP 415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages) W2031X, HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages) W2032X, HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages) W2033X | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser. | Manufacturer warranty: One-year, On-site Repair 24-hour / 7 day a week phone support | Box contents: HP Color LaserJet Enterprise M455dn printer HP Black Original LaserJet Toner Cartridge (~2,400 pages) HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each) Getting started Guide 1 Power cord | Compatible operating systems: Windows 11 Windows 10 Windows 8 Windows 8.1

Windows 7 Windows Client OS Android iOS Mobile OS macOS 10.12 Sierra macOS 10.13 High Sierra

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

macOS 10.14 Mojave macOS 10.15 Catalina | Certification: CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013 Other EMC approvals as required by individual countries. | Envelope feeder: No | Typical electricity consumption (TEC) number: 0.437 kWh/Week (Energy Star 3.0) | Total number of input trays: 2 | Duplex printing: Yes | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Pallet gross weight: 538.8 kg | Sound pressure level (printing): 48 dB | Recommended duty cycle: 900 - 4800 pages per month | Maximum ISO A-series paper size: A4 | Acoustic pressure emissions bystander (ready): 33 dB | Pallet dimensions (W x D x H) (imperial): 1199.9 x 1000 x 2483.1 mm (47.2 x 39.4 x 97.8") | Time to first page (black, normal): 9.5 s | Power consumption (ready): 16.7 W | ISO B-series sizes (B0...B9): B5 | ISO C-series sizes (C0...C9): C6 | Printing colours: Black | Multi-Purpose tray input capacity: 50 sheets | Master (outer) cases per pallet layer: 6 pc(s) | Recommended humidity operating range: 10 - 90% | Pallet dimensions (W x D x H): 1200 x 1000 x 2483 mm | Wi-Fi Direct: Yes | Non-ISO print media sizes: 16K | Page description languages: PCL 5 | Layers per pallet: 3 pc(s) | ISO C-series sizes (C0...C9): C5 | Pallet weight (imperial): 538.8 kg (1187.8 lbs) | Duplex printing mode: Auto | Print speed (colour, normal quality, A4/US Letter): 27 ppm | ISO A-series sizes (A0...A9): A4 | Colour display: Yes | Printing colours: Cyan | Warm-up time: 180 s | Power consumption (printing): 574 W | Printer fonts: PCL | Time to first page (colour, normal): 11 s | Printer fonts: Scalable | Printer fonts: PostScript | Paper tray 2 input capacity: 250 sheets | Printer fonts: TrueType | Harmonized System (HS) code: 84433210 | Acoustic power emissions (ready): 45 dB | Photo paper sizes: 10x15 cm | Total output capacity: 150 sheets | Maximum resolution: 600 x 600 DPI | Total input capacity: 300 sheets | Printing colours: Yellow | Paper tray media types: Recycled paper | Other operating systems supported: Android | Maximum output capacity: 150 sheets | Printer fonts: Windows | Paper tray media types: Photo paper | Envelopes sizes: C6 | Maximum input capacity: 850 sheets | Envelopes sizes: B5 | Paper tray media types: Labels | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Rough paper | Paper tray media types: Glossy paper | Other operating systems supported: iOS | Recommended operating temperature range (T-T): 15 - 27 °C | Print speed (black, normal quality, A4/US Letter): 27 ppm | Control type: Touch | Envelopes sizes: C5 | Paper tray media types: Plain paper | UNSPSC-code: 43212105 | Maximum number of input trays: 3 | Paper tray media types: Bond paper | Paper tray media types: Postcard | Paper tray media weight: 60 - 200 g/m² | Maximum internal memory: 1280 MB | Page description languages: PCL 6 | Maximum duty cycle: 55000 pages per month | Multi-Purpose tray: Yes | Ethernet LAN data rates: 10,100,1000 Mbit/s | Paper tray media types: Envelopes | Page description languages: PDF 1.7 | AC input

frequency: 50/60 Hz | Sound power level (printing): 5.9 dB | Printing colours: Magenta | Custom

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

media sizes: Tray 1: 76 x 127 to 216 x 356 mm Tray 2: 98 x 148 to 216 x 356 mm Optional Tray: 98 x 148 to 216 x 356 mm | Envelopes sizes: DL | Cartridge(s) included: Yes | Power consumption (off): 0.08 W | Sustainability certificates: Blue Angel | Sustainability certificates: EPEAT Silver | Sustainability compliance: Yes | Sustainability certificates: ENERGY STAR | Paper tray 1 input capacity: 50 sheets | Sustainable technologies and materials: Forest First product | AC input voltage: 220 - 240 V | Print resolution colour: 600 x 600 DPI | Processor frequency: 800 MHz | Doesn't contain: Mercury | HP Auto-On/Auto-Off: Yes | Print resolution black: 600 x 600 DPI | Energy Star Typical Electricity Consumption (TEC): 0.437 kWh/week | Watermark printing: Yes | Included cartridge capacity (CMY): 2100 pages | Power consumption (PowerSave): 0.08 W | Included cartridge capacity (black): 2400 pages | HP segment: Business | Secure printing: Yes | HP Dynamic security: Yes | Built-in display: Yes | USB 2.0 ports quantity: 3 | Operating relative humidity (H-H): 30 - 70% | Print technology: Laser | Wi-Fi: Yes | Windows operating systems supported: Windows 8 | Weight: 18.9 kg | Mac operating systems supported: Mac OS X 10.12 Sierra | Number of print cartridges: 4 | Package width: 497 mm | Cabling technology: 10/100/1000Base-T(X) | USB port: Yes | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 11 | Mobile printing technologies: Apple AirPrint | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mobile printing technologies: Mopria Print Service | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.14 Mojave | Printing: Colour printing | Windows operating systems supported: Windows 8.1 | Operating temperature (T-T): 15 - 32.5 °C | Mac operating systems supported: Mac OS X 10.15 Catalina | Built-in processor: Yes | Mac operating systems supported: MacOS | Market positioning: Business | Mobile printing technologies: HP ePrint | Storage temperature (T-T): -20 - 40 °C | Package depth: 379 mm | Display: LCD | Network ready: Yes | Package weight: 21.6 kg | Windows operating systems supported: Windows 10 | Cables included: AC | Custom media width: 76 - 216 mm | Package height: 583 mm | Internal memory: 1280 MB | Custom media length: 127 - 356 mm | Width: 413.6 mm | Height: 304.4 mm | Ethernet LAN: No | Depth: 472 mm | Security algorithms: SNMPv3 | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Colour: Yes | Security algorithms: EAP-TLS | Security algorithms: SSL/TLS | Product colour: White | Bluetooth: Yes | Display diagonal: 6.86 cm (2.7") | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Total carbon footprint (kg of CO2e): 14.8 | Carbon emissions, logistics (kg of CO2e): 50 | Warnings: Connect the appliance to a grounded electrical outlet. | Warnings: Do not cover the ventilation openings during operation. | Carbon emissions,

manufacturing (kg of CO2e): 377 | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19)
884420971412 (BAZ) 884420971429 | Compliance certificates: CECP | Carbon emissions, end-of-life
(kg of CO₂e): 0.6 | Compliance certificates: BSMI | Compliance certificates: CE | Total carbon
emissions, w/o use phase (kg of CO₂e): 499 | HP GTIN (EAN/UPC): 886111043361 | Warnings: Avoid
contact with liquids and moisture. | Compliance certificates: BIS | Compliance certificates: cUL |
Compliance certificates: GS mark | Compliance certificates: CCC | Compliance certificates: UL