


Epson EB-L520U Standard throw projector 5200 ANSI lumens 3LCD WUXGA (1920x1200) White

Gamintojas: **EPSON** · Modelis: **V11HA30040** · EAN: **8715946695563** · Prekės kodas: **552078**



2 722,90 €

Kaina su PVM

Be PVM: **2 250,33 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Presentation Standard throw projector White
- ✓ 3LCD 5200 ANSI lumens
- ✓ Laser 20000 h
- ✓ WUXGA (1920x1200) 16:10 2500000:1
- ✓ Screen size compatibility: 1270 - 12700 mm (50 - 500") Number of colours: 1.07 billion colours
- ✓ Focus: Manual Zoom capability
- ✓ Ethernet LAN Wi-Fi
- ✓ Built-in speaker(s) 10 W
- ✓ AC 293 W

Techninė specifikacija

Specifications

Sandėlio grupė

Unterhaltungselektronik > Projektoren/Beamer [+340][-298]

Projector

Projector brightness	5200 ANSI lumens
Projection technology	3LCD
Projector native resolution	WUXGA (1920x1200)
Contrast ratio (typical)	2500000:1
Native aspect ratio	16:10
Screen size compatibility	1270 - 12700 mm (50 - 500")

Number of colours	1.07 billion colours
Projector brightness (economic mode)	3640 ANSI lumens
Vertical scan range	192 - 240 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°
Matrix size	1.7 cm (0.67")
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Focal length range	20 - 31.8 mm
Aperture range (F-F)	1.5 - 1.7
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.6:1
Throw ratio	1.35 - 2.2:1
Video	
Analog signal format system	Not supported
Full HD	Yes
3D	No
Video processing	10 bit
Video colour modes	Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode
Ports & interfaces	
VGA (D-Sub) ports quantity	3
HDMI ports quantity	2
DVI port	No
Audio (L/R) in	1
Serial interface type	RS-232C
USB 2.0 ports quantity	2
USB 2.0 Type-B ports quantity	1
Network	
Ethernet LAN	Yes

Wi-Fi	Yes
Wi-Fi standards	802.11a, Wi-Fi 4 (802.11n)
Storage	
Card reader integrated	No
Features	
Noise level	31 dB
Noise level (economic mode)	23 dB
Country of origin	Philippines
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	10 W
Number of built-in speakers	1
Design	
Product type	Standard throw projector
Market positioning	Presentation
Product colour	White
Placement	Ceiling, Desktop, Floor, Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	293 W
Power consumption (standby)	0.3 W
Power consumption (economy mode)	223 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Software	
Software support	via: AMX, Crestron (Network), Control4, Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%

Storage relative humidity (H-H)	10 - 90%
---------------------------------	----------

Weight & dimensions

Weight	7.7 kg
Width	440 mm
Depth	122 mm
Height	304 mm
Package width	540 mm
Package depth	530 mm
Package height	210 mm
Package weight	10.4 kg

Packaging content

Remote control included	Yes
Batteries included	Yes
Cables included	AC, HDMI
Warranty card	Yes
Bundled software	EasyMP Multi PC Projection

Technical details

Sustainability certificates	TCO
USB display function	3 in 1: Image / Mouse / Sound

Logistics data

Quantity per pack	1 pc(s)
Products per pallet	14 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	14 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200

Matmenys ir svoris

Matmenys (I × P × A)	53,00cm × 49,00cm × 21,00cm
----------------------	-----------------------------