

CLUB3D UNIVERSAL USB Gen1 Type-C Triple Display Dynamic PD Charging Dock with 65 Watt PS (VGA, HDMI, DP, ETHERNET)

Gamintojas: **CLUB3D** · Modelis: **CSV-1564W65** · EAN: **8719214472108** · Prekės kodas: **552576**



122,90 € ~~152,90 €~~

Kaina su PVM

Be PVM: **101,57 €**

[Sandėlyje](#)




Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Docking
- ✓ Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ USB Power Delivery (USB PD)
- ✓ Ethernet LAN 1000 Mbit/s 1000BASE-TX
- ✓ MicroSD (TransFlash)



Aprašymas

The Club 3D CSV-1564W65 USB Gen1 Type-C Triple Display Dynamic PD Charging Dock is an integrated solution combining Video, Data, Power, Ethernet and Audio especially for frequent travelers. The Three different Video ports (HDMI™, DisplayPort™, VGA) allow you to enjoy 3 different images or videos on 3 different displays simultaneously under MST mode. The USB Type-A ports and USB Type-C data port allow you to connect multiple USB devices to the host. The USB Type-C charging port allows you to provide power for this Dock and can charge the host PC at the same time by connecting a PD power Adapter, no need to carry your notebooks' power supply. So in general the user is traveling lighter. The Micro SD and SD/MMC ports allow you to read the information in the memory card onto the host. The 3.5mm audio port allows enjoying the music of the host via a headset. Besides, with the Gigabit Ethernet port, you can enjoy high speed Ethernet on the host. It supports all DP Alt mode supported hosts (PC, laptop, mobile phone, etc.), Dynamic Current Detection and Power Distribution, the product no longer intercepts the fixed power from the external PD Power Supply, but intercepts it according to the actual power consumed by itself, so that the PC can be dynamically charged more power. For Video Signal the source device needs to support DisplayPort™ Alt Mode.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Docks [+41][-69]
Ports & interfaces	
Connectivity technology	Docking
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
Microphone in	No
Headphone outputs	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
PowerShare	Yes
USB Power Delivery (USB PD)	Yes
VGA (D-Sub) ports quantity	1
DisplayPorts quantity	1
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	1000 Mbit/s
Copper ethernet cabling technology	1000BASE-TX
Networking standards	IEEE 802.3
Performance	
Product colour	Black
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels
Maximum refresh rate	60 Hz
Power	
Power source type	AC
Power connector	USB Type-C

Power supply	100 W
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	350 mm
Depth	75 mm
Height	20 mm
Weight	616 g
Packaging data	
Quantity per pack	1 pc(s)
Packaging content	
Cables included	USB Type-C
AC adapter included	Yes
Packaging composition	
Plastic packaging weight	5 g
Paper/cardboard packaging weight	239 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g
Logistics data	
Harmonized System (HS) code	84733020
Matmenys ir svoris	
Matmenys (I × P × A)	38,00cm × 11,00cm × 8,00cm