

CLUB3D USB-C® to Triple DisplayPort™ 4K60Hz

Gamintojas: **CLUB3D** · Modelis: **CSV-1553** · EAN: **8719214473174** · Prekės kodas: **553138**



57,90 € ~~70,91 €~~

Kaina su PVM

Be PVM: **47,85 €**

[Sandėlyje](#)



Prekę internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support DP2.1 AlternateMode USB Type-C Devices
- ✓ Support SST mode at MAC OS®
- ✓ Support MST mode at Windows®
- ✓ Support Max 8K30Hz for One video Output
- ✓ Support to output Dual Displays 8K30Hz + 4K144Hz



Aprašymas

The CSV-1553 is a MST hub to DisplayPort™. This USB-C MST hub is designed to cater for your most versatile connectivity demands, such as Mobile Phone, Tablet, laptop, etc. with a USB Type-C output which supports DP™ Alt-Mode as Host to 3 DisplayPort ports with Ultra High Definition support. It supports DP2.1 AltMode and will allow you to output one Display with max capability of a single 8K30Hz or dual displays of 8K30Hz + 4K144Hz support or triple displays of 4K60Hz Each. It supports on all DisplayPort Alternate Mode supported USB Type-C or Thunderbolt4 compatible devices.

Give your Phone, Ultrabook more displays. Phones, Ultrabooks and notebooks are increasingly becoming more powerful and smaller in the physical form factor. With a single USB Type-C DisplayPort Supported port available you can now drive up to 3x Displayport™ screen simultaneously. All it needs is a free USB Type-C with DP™ Alt-Mode on your Phone, Laptop or Ultrabook to connect to the MST hub and will provide you with unparalleled connection options for Triple 4K60Hz displays. The setup is easy and simple to do, provided your system supports this function.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+68][-73] Notebook Docks [+41][-69]
Ports & interfaces	
Host interface	USB Type-C
DisplayPorts quantity	3
DC-in jack	No
HDCP	Yes
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	Yes
Performance	
Product colour	Black
Card reader integrated	No
HD type	8K Ultra HD
Maximum refresh rate	144 Hz
High Dynamic Range (HDR) supported	Yes
Hub interfaces	DisplayPort
Power	
Power supply type	USB
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Other operating systems supported	ChromeOS
Weight & dimensions	
Weight	53 g
Packaging data	
Package width	60 mm
Package depth	180 mm
Package height	35 mm
Package weight	103 g
Packaging composition	
Plastic packaging weight	5 g
Paper/cardboard packaging weight	45 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g

Technical details	
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84733020
Other features	
Cable type	Round cable
Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 6,00cm × 4,00cm