



WRL RANGE EXTENDER 1800MBPS/RE605X TP-LINK



Modelis: RE605X

Gamintojas: TP-LINK

EAN: 6935364030582

Prekės kodas: 553173

83.99€

Expand Your Ultimate WiFi Experience

AX1800 WiFi 6 Range Extender

Get More Range with Your Existing Router

A single router has limited WiFi coverage and always causes WiFi dead zones. RE605X wirelessly connects to your existing router and boosts more WiFi signals throughout your home, allowing you to enjoy smooth WiFi 6 network experiences everywhere with great speed, capacity, and coverage.

WiFi 6: More Connections with Better Performance

The latest Wi-Fi 6 technology is built for today's devices, eliminating lag, endless loading, and dead spots. It fully satisfies your network needs especially for bandwidth-intensive tasks like cloud gaming or 4K UHD video.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

TP-Link OneMesh:

Optimize for Smoothest WiFi Experience

OneMesh™ is a simple way to form a Mesh network with a single WiFi name for seamless whole home coverage. Just connect a OneMesh™ range extender to a OneMesh™ router. No more searching around for a stable connection.

Enjoy an AX Mesh Network with Your Existing Router

Want a Mesh network? Hesitating whether you should replace your current router with a new Mesh set?

Built-In Access Point Mode

RE605X is more than a wireless range extender. Simply plug an Ethernet cable into its Ethernet port, and easily turn your wired internet connection into a 2x2 MU-MIMO dual band wireless access point.

Control at Your Fingertips

Set up and manage your Wi-Fi through the TP-Link Tether app from your smartphone (Android, iOS), including TP-Link routers and range extenders.

- RE605X comes equipped with the latest wireless technology, Wi-Fi 6, for faster speeds, greater capacity, and reduced network congestion
- Creates a Mesh network by connecting to a OneMesh router for seamless whole-home coverage
- Gigabit Ethernet Port – Provide faster-wired connections to smart TVs, computers and gaming consoles
- Intelligent Signal Light – Helps to determine the best location for optimal Wi-Fi coverage by indicating the signal strength in the current placement
- AP Mode – create a new Wi-Fi access point to enhance your wired network with Wi-Fi capability
- TP-LINK Tether App – Easily access and manage your network using any iOS or Android mobile device
- Ultimate Compatibility – Extend the range of any Wi-Fi router or wireless access point

Summary: TP-Link AX1800 Wi-Fi Range Extender. Type: Network repeater, Data transfer rate: 1201 Mbit/s, Ethernet LAN data rates: 10,100,1000 Mbit/s. Antenna type: External, Transmitting power (CE): 2.4 GHz ≤15dBm, 5 GHz ≤21dBm. Cabling technology: 10/100/1000Base-T(X), Networking

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Product colour: White, Quantity per pack: 1 pc(s), Country of origin: China. AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz, Power consumption (typical): 10 W | Vendor Homepage: <https://www.tp-link.com/uk/home-networking/range-extender/re605x/> | Browser supported: Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 | Data transfer rate: 1201 | Ethernet LAN data rates: 10/100/1000 | Linux operating systems supported: Yes | Mac operating systems supported: Yes | Type: Network repeater | Windows operating systems supported: Windows 10/Windows 2000/Windows 7/Windows 8/Windows 8.1/Windows 98SE/Windows NT/Windows Vista/Windows XP | WPS push button: Yes | Antenna type: External | Antennas quantity: 2 | Transmitting power (CE): 2.4 GHz =15dBm, 5 GHz =21dBm | Cabling technology: 10/100/1000Base-T(X) | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11ax/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Security algorithms: 128-bit WEP/64-bit WEP/WPA2-PSK/WPA-PSK | Wi-Fi: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi data rate (max): 1200 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | Ethernet LAN (RJ-45) ports: 1 | Country of origin: China | LED indicators: Yes | Product colour: White | Quantity per pack: 1 | Reset button: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Power consumption (typical): 10 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 46 | Height: 124.8 | Width: 74 | Quick start guide: Yes | Package depth: 125 | Package height: 97 | Package type: Box | Package weight: 420 | Package width: 202 | Compliance certificates: CE/RoHS | Harmonized System (HS) code: 85176990 | Commodity Classification Automated Tracking System (CCATS): 85183095 | Model name: AX1800 Wi-Fi Range Extender | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0019 | Unit Calculated Weight: 0.433