



Switch TP-LINK Desktop/pedestal 5x10Base-T 100Base-TX 1000Base-T PoE ports 4 TL- SG1005P



Modelis: TL-SG1005P

Gamintojas: TP-LINK

EAN: 6935364083212

Prekės kodas: 553564

44.99€

PoE Switches for Your Ultra Convenience

5-Port Gigabit Desktop Switch with 4-Port PoE

Power over Ethernet

4 of the 5 Auto-Negotiation RJ45 ports (Port 1 to Port 4) of the switch support Power over Ethernet (PoE) function. These PoE ports can automatically detect and supply power with those IEEE 802.3af compliant Powered Devices (PDs).

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Intelligent Power Management

When total power consumption exceeds 56W, the intelligent power management will cut the lower priority port power off to ensure the high priority port's power supply and protect the device from power overload operation.

Sturdy Metal Casing

Sturdy, compact metal casing and shielded RJ45 ports, with desktop/wall-mounting design, to meet your needs in any environment. Besides, fanless design ensures quiet operation.

- 5 10/100/1000Mbps RJ45 ports
- With four PoE ports, transfers data and power on one single cable
- Working with IEEE 802.3af compliant PDs, expands home and office network
- 802.1p/DSCP QoS enable smooth latency-sensitive traffic
- Supports PoE Power up to 15.4W for each PoE port
- Supports PoE Power up to 56W for all PoE ports
- Requires no configuration and installation

Summary: TP-Link 5-Port Gigabit Desktop PoE Switch with 4-Port. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3af, IEEE 802.3u, IEEE 802.3x. DC input voltage: 48 V. Power over Ethernet (PoE) | Vendor Homepage: <https://www.tp-link.com/uk/business-networking/unmanaged-switch/tl-sg1005p/> | Quality of Service (QoS) support: Yes | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 5 | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Cable types supported: Cat3/Cat4/Cat5/Cat5e/Cat6 | Copper ethernet cabling technology: 1000BASE-T/100BASE-TX/10BASE-T | Flow control support: Yes | MAC address auto-aging supported: Yes | MAC address auto-learning supported: Yes | Networking standards: IEEE 802.1p/IEEE 802.3/IEEE 802.3af/IEEE 802.3u/IEEE 802.3x | VLAN support: Yes | Forwarding rate: 7.44 | MAC address table: 2000 | Store-and-forward: Yes | Switching capacity: 10 | IGMP snooping: Yes | LED indicators: Yes | Product colour: Black | Rack mounting: No | Stackable: No | Fanless: Yes | Maximum cable length: 100 | AC input frequency: 50 | AC input voltage: 100 - 220 | DC input voltage: 48 | Input current: 1.25 | Power consumption (max): 64.44 | Power source: DC/PoE | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

quantity: 4 | Total Power over Ethernet (PoE) budget: 56 | Heat dissipation: 219.87 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 98 | Height: 25 | Width: 99.8 | Cables included: AC | Manual: Yes | Quick start guide: Yes | User guide: Yes | AC adapter included: Yes | Package depth: 196 | Package height: 121 | Package type: Box | Package weight: 761 | Package width: 131 | Sustainability compliance: Yes | Certification: FCC, CE, RoHS | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Harmonized System (HS) code: 85176990 | Product Net Weight: 0.249 | Shipping Box Height: 39 | Unit Calculated Volume: 0.00389 | Unit Calculated Weight: 0.842 | Units per Shipping Box: 12 | Model name: 5-Port Gigabit Desktop PoE Switch with 4-Port

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903