



I/O HUB USB-C 5IN1/1M HMC-5H AXAGON



Modelis: HMC-5H

Gamintojas: AXAGON

EAN: 8595247907509

Prekės kodas: 553745

31.99€

The multi-port USB-C 5Gbps AXAGON HMC-5H hub 5in1 expands your laptop, computer or phone with five ports. Via the double-sided USB-C connector, you can quickly and easily connect a monitor and three USB devices to the computer at the same time. You also get the possibility to supply laptop using Power Delivery technology. Thanks to the 1 m long cable, you can conveniently arrange the devices you need for work according to your needs. The port replicator thus fulfils the function of a universal 5in1 docking station for modern laptops.

The USB hub offers three 5Gbps USB outputs with standard USB-A connectors. The hub can also handle the permanent connection of multiple external drives at the same time. Transfer rate up to 5Gb/s thanks to the fast USB 3.2 Gen 1 interface. The hub can also charge mobile phones and tablets connected to the hub's USB ports with a current of up to 1.5A/5V. From the hub, you can easily charge e.g. Android smartphone, Apple iPhone, Apple iPad etc.

The USB-C connector is reserved only for charging of phone or laptops using Power Delivery 3.0

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

technology with a power of up to 100W. Connect a suitable USB-C Power Delivery charger into the hub and connect the hub to a laptop that supports Power Delivery. This will also free up one USB-C port on your laptop.

HDMI output provides high quality image up to 4K/30Hz Ultra HD resolution and supports multi-channel audio transmission.

For video outputs to work properly, the laptop must have a USB-C port with DisplayPort Alternate Mode (DP Alt Mode) support or a Thunderbolt 3 port, Thunderbolt 4 and above.

The elegant aluminum body ensures not only mechanical resistance, but also passive cooling. Thanks to the Plug and Play and Hot Plug functions, connecting the hub itself is very simple without complicated installation, and peripherals can also be easily connected and disconnected while the computer is running. The hub does not afraid of connection to phones with a USB-C connector. For example, you can connect a flash drive, keyboard, mouse, display, TV or projector to the phone.

Input (laptop connection):

- USB 5Gbps (USB 3.2 Gen 1 / USB 3.0), USB-C female connector.
- Compatible with USB 3.2 Gen 2, USB4 and Thunderbolt 3/4.

Input (power supply):

- USB Power Delivery 3.0 100W (only for charging), USB-C female connector.
- Charging of the notebook from the power adapter via USB-C hub.
- PD power must be supported by both the laptop (phone) and the wall charger.

USB outputs:

- 3x USB 5Gbps port, USB-A female connector.
- USB-C hub can handle connecting multiple external drives at the same time.
- Charging of mobile devices (including iPad) with a current of up to 1.5A from the hub's USB ports.

Video output:

- 1x HDMI A port, HDMI A female connector.
- 4K resolution 4096 x 2160 at up to 30Hz.

- 2K / WQHD resolution 2560 x 1440 at up to 60Hz.
- FHD resolution 1920 x 1080 at up to 120Hz.
- Support for the above max. supported resolutions and frequencies requires connection to a computer with DisplayPort version 1.4.
- For the video output function, the hub must be connected to a USB-C port supporting DisplayPort Alternate Mode (DP Alt Mode) or to a USB-C port supporting Thunderbolt 3/4. A suitable OS is also required. The video output function will not be available without these requirements.
- HPD (Hot-Plug-Detect) support.
- TMDS (Transition Minimized Differential Signalling) support.
- HDCP 1.4 and 2.3 (High-bandwidth Digital Content Protection) full support.
- Support for 2-channel audio sampling rate up to 192 kHz and up to 24-bit audio - depends on source and end device, i.e. laptop/phone and TV/monitor/AV receiver.

Other features:

- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- Standby mode support.
- Power via USB bus - USB bus power or from PD wall charger.
- Heavy-duty aluminium body for better hub cooling.
- High quality shielded cable ensures fast communication speed and minimal unwanted interference.
- Dimensions 121 x 35 x 10 mm.
- Weight 75 g.
- USB-C male cable length 100 cm.

Supported operating systems:

- Microsoft Windows 10 / 11 and later, macOS, Linux, Chrome OS and Android.
- Compatibility depends on used OS and support from device manufacturer.
- DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated OS and also depends on support from device (notebook, phone).
- Graphics card drivers may also affect the correct operation of the product. We recommend downloading the latest version of drivers.

Package contains:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

- USB-C hub with fixed 100 cm long cable,
- multilingual guide CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon HMC-5H USB 5Gbps hub, 3x USB-A, HDMI 4k/30Hz, PD 100W, 100cm USB-C cable.

Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power

Delivery up to: 100 W. Product colour: Silver, Data transfer rate: 5 Gbit/s, HD type: 4K Ultra HD.

Power source type: USB, Power connector: USB Type-C, USB cable length: 1 m. Width: 121 mm,

Depth: 35 mm, Height: 10 mm. Quantity per pack: 1 pc(s), Package width: 212 mm, Package depth:

110 mm | Vendor Homepage: <https://www.axagon.eu/en/produkty/hmc-5h> | Combo headphone/mic

port: No | Connectivity technology: Wired | DC-in jack: No | HDCP: Yes | HDCP version: 1.4/2.3 | HDMI

ports quantity: 1 | Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Microphone in: No | USB 3.2

Gen 1 (3.1 Gen 1) Type-A ports quantity: 3 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 1 |

USB Power Delivery (USB PD): Yes | USB Power Delivery revision: 3.0 | USB Power Delivery up to: 100

| Ethernet LAN: No | Brand compatibility: Universal | Card reader integrated: No | Certification: CE,

RoHS | Charging function: Yes | Country of origin: China | Data transfer rate: 5 | HD type: 4K Ultra HD

| Hot-Plug support: Yes | Housing material: Aluminium | Hub interfaces: HDMI/USB 3.2 Gen 1 (3.1 Gen

1) Type-A/USB 3.2 Gen 1 (3.1 Gen 1) Type-C | LED indicators: Yes | Maximum digital resolution: 4096

x 2160 | Maximum refresh rate: 120 | Plug and Play: Yes | Product colour: Silver | Built-in

microphone: No | Built-in speaker(s): No | Built-in fan: No | Power connector: USB Type-C | Power

source type: USB | USB cable length: 1 | Wireless charging: No | Linux operating systems supported:

Yes | Mac operating systems supported: Yes | Mobile operating systems supported: Yes | Other

operating systems supported: Yes | Server operating systems supported: Yes | Windows operating

systems supported: Yes | Depth: 35 | Height: 10 | Weight: 75 | Width: 121 | Package depth: 110 |

Package height: 27 | Package weight: 125 | Package width: 212 | Quantity per pack: 1 | Cables

included: USB Type-C | Manual: Yes | Compliance certificates: RoHS | Warranty period: 2 | Model:

HMC-5H | Units per Shipping Box: 1 | Unit Calculated Volume: 0.000693 | Unit Calculated Weight:

0.13