Axagon PCES-SJ2 PCIe - 2x internal SATA 6G port controller, JMB582, SP & LP

Gamintojas: **AXAGON** · Modelis: **PCES-SJ2** · EAN: **8595247907745** · Prekės kodas: **554064**



20.90€

Kaina su PVM

Be PVM: **17.27€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Internal
- ✓ Host interface: PCIe
- ✓ Output interface: SATA
- ✓ TRIM support
- ✓ Purpose: PC
- ✓ 2 Gbit/s
- ✓ Black







Aprašymas

The AXAGON PCES-SJ2 PCI-Express controller extends your desktop PC with two SATA ports with a transmission rate up to 6 Gb/s.

The card equipped with JMicron chipset not only supports SATA 3.0 specification, but also other SATA technologies such as Hot-Plug, Native

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Command Queue (NCQ), TRIM, or Port Multiplier.

Easy installation without the need to install drivers in most operating systems.

Thanks to the included low profile bracket the controller can be fitted into both standard and low profile PC cases.

Input:
• PCI-Express 3.0 interface, PCI-Express 1.0a / 1.1 / 2.0 /2.1 compatible.
• Number of lines 1-Lane (x1), compatible with x1 / x4 / x8 / x16 PCIe slots.
• A bandwidth of 1-Lane PCI-Express 3.0 bus 2 Gb/s bidirectional.

Output:
• 2x independent Serial ATA port, SATA III 6G standard.
• 2x internal 7-pin SATA data connector.
• Supports all SATA I / SATA II / SATA III optical drives, SSDs and hard disks of all capacities.

Other features:
• Full Plug and Play support.
• Compliant with Serial ATA 3.0 specification (SATA/600), transmission rates of up to 6 Gb/s (600 MB/s).
• Compliant with Serial ATA 2.0 specification (SATA/300), transmission rates of up to 3 Gb/s (300 MB/s).
• Compliant with Serial ATA 1.0 specification (SATA/150), transmission rates of up to 1.5 Gb/s (150 MB/s).
• Compliant with Serial ATA AHCI (Advanced Host Controller Interface) specification.
• Hot Plug support for connecting and disconnecting SATA devices while running.
• Native Command Queuing (NCQ) support.
• TRIM feature support for SSD disks.
• Port Multiplier Command Based Switching feature support.
• Boot support from connected disk incl. cooperation with computer motherboard BIOS/UEFI.
• The Jmicron JMB582 chipset is used.

Supported operating systems:
• MS Windows 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2008 / 2012 / 2016 / 2019 / 2022 and later (supported are all 32- and 64-bit versions of OS Windows), Linux with kernel 2.6.x and above.

Package contains:
• PCI-Express Gigabit Ethernet card with a standard bracket,
• low profile bracket,
• multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
• packed in a cardboard box.

Techninė specifikacija

Ports & interfaces	
Host interface	PCIe
Output interface	SATA
Host interface gender	Male
Expansion card form factor	Full-height / Low-profile
Expansion card standard	PCIe 3.0
NVMe	No

SATA revision	3
Internal SATA ports quantity	2
Design	
Internal	Yes
Product colour	Black
Purpose	PC
LED indicators	Yes
Hot-Plug support	Yes
Easy to install	Yes
Country of origin	China
Certification	CE, RoHS
Features	
Data transfer rate (max)	2 Gbit/s
TRIM support	Yes
Native Command Queuing (NCQ)	Yes
Plug and Play	Yes
System requirements	
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Server operating systems supported	Yes
Technical details	
Warranty period	2 year(s)
Compliance certificates	RoHS, CE
Packaging data	
Quantity per pack	1 pc(s)
Manual	Yes
Package width	145 mm
Package depth	112 mm
Package height	25 mm
Package weight	72 g
Package type	Box
Matmenys ir svoris	
Matmenys (I × P × A)	11.00cm × 2.00cm × 15.00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt