

Axagon CLR-M2XT M.2 SSD Passivkühler Aluminium - 2280 M.2 NVMe SSD, Puslaidininkinis diskas Radiatorius Juoda, Pilka 1 vnt

Gamintojas: **AXAGON** · Modelis: **CLR-M2XT** · EAN: **8595247907950** · Prekės kodas: **554267**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ M.2 NVMe SSD, Puslaidininkinis diskas Radiatorius
- ✓ 1 vnt
- ✓ Juoda, Pilka



Aprašymas

AXAGON CLR-M2XT ALU is a passive aluminum cooler designed for intensive cooling of powerful NVMe M.2 SSD drives. The versatile passive heatsink can be used for M.2 cards, size 22 x 80 mm. The supplied thermally conductive pads allow the installation of a cooler for all one-sided and double-sided M.2 SSD disks.

Thanks to its total height of 24 mm and a passive height of 20 mm, the cooler can also be placed in a cabinet with limited space. Cross ribbing of the

aluminum passive and metal frame optimize heat dissipation from the M.2 SSD, which can reduce the temperature of the drive by up to 30 °C. This extends the life of the SSD disk and prevents the disk speed from slowing down, the so-called “Thermal Throttling”.

The heatsink can be used not only with M.2 AXAGON adapters, but also with M.2 (NGFF) slots on motherboards, etc. Thanks to the large cooling surface and the metal frame, the heatsink ideally dissipates heat from both sides of the M.2 disk and thus achieves maximum cooling efficiency. Due to its high cooling efficiency, this cooler is one of the most powerful cooler models of the AXAGON brand.

Features:

- Support of M.2 drives of any capacity.
- Support of both one-sided and double-sided M.2 disks.
- Support of M.2 drives, size 22 x 80 mm.
- Support of SATA (AHCI) as well as NVMe (PCI-Express) M.2 drives.
- Ribbed aluminum cooler body.
- Thermal pads can be combined and used on SSD drives with single-sided and double-sided designs and different heights.
- Dimensions 77.5 x 24 x 24 mm.
- Weight 45 g.

Package contains:

- Passive cooler,
- metal frame,
- 3 thermally conductive pads,
- mounting kit and screwdriver,
- simplified instructions,
- packed in a cardboard box.

Techninė specifikacija

Veikimo charakteristikos	
Tinkama vieta	M.2 NVMe SSD, Puslaidininkinis diskas
Tipas	Radiatorius
Kiekis pakuotėje	1 vnt
Suderinami produktai	M.2 SSD 2280
Konstrukcija	
Produkto spalva	Juoda, Pilka
Medžiaga	Aliuminis
Radiatoriaus medžiaga	Aluminio
Ventiliatorių skaičius	0 ventiliatorius(iai / ių)
Sertifikavimas	CE, RoHS
Svoris ir matmenys	
Plotis	77 mm
Ilgis	24 mm
Aukštis	24 mm
Svoris	45 g

Pakuotės plotis	105 mm
Pakuotės gylis	73 mm
Pakuotės aukštis	45 mm
Paketo svoris	89 g

Techninė informacija

Garantinis laikotarpis	3 metai
Atitikties sertifikatai	RoHS, CE

Pakuotės turinys

Pakuotės tipas	„Box“
Pridėti sraigtai	Taip
Pridedama terminė pagalvėlė	Taip
Montavimo instrukcija	Taip

Matmenys ir svoris

Matmenys (I × P × A)	8,00cm × 11,00cm × 5,00cm
----------------------	---------------------------

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.

Železná 663/5, 619 00 Brno-jih, CZ

axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt