

Dahua Technology LM22-L200N computer monitor 54.5 cm (21.4") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **DAHUA** · Modelis: **DHI-LM22-L200N** · EAN: **6923172509024** · Prekės kodas: **555073**



101,89 €

Kaina su PVM

Be PVM: **84,21 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Suitable for continuous 24/7 operation
- ✓ 3 sides narrow bezel design, elegant appearance, ultra-light base
- ✓ 5ms fast response time with no image blurring or ghosting
- ✓ 178°/178° extra-wide viewing angle for overall viewing performance
- ✓ Support multiple signal inputs including HDMI and VGA
- ✓ Low energy consumption, long service life



Aprašymas

The L200N Series monitor features a top-notch LCD panel that delivers exceptional visuals and a rapid refresh rate. This versatile and dependable display is not only cost-effective but also highly reliable. It seamlessly integrates with a wide range of Dahua backend security devices, making it an ideal choice for both individual desktop setups and wall mount installation in the security industry.

Techninė specifikacija

Specifications

Sandėlio grupė

Monitors [+143][-339]

Display

Display diagonal	54.5 cm (21.4")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	VA
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	3000:1
Maximum refresh rate	100 Hz
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	250 cd/m²
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display diagonal (metric)	54 cm
Colour depth	8 bit
Colour gamut standard	NTSC
NTSC coverage (typical)	72%
Performance	
Operating hours (hours/days)	24/7
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Product colour	Black
Frameless design	Yes
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes

Headphone out	No
VGA (D-Sub) ports quantity	1
Ergonomics	
VESA mounting	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Tilt adjustment	Yes
Tilt angle range	-5 - 15°
Plug and Play	Yes
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	15 kWh
Power consumption (typical)	20.5 W
Power consumption (standby)	0.5 W
Power consumption (max)	21 W
Power consumption (off)	0.3 W
AC adapter output voltage	12 V
Power supply type	External
Current rating	2 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width (without stand)	493.1 mm
Depth (without stand)	48.4 mm
Height (without stand)	290.8 mm
Weight (without stand)	2.3 kg
Bezel width (side)	2 mm
Bezel width (top)	2 mm
Bezel width (bottom)	2.21 cm

Packaging data

Package width	557 mm
Package depth	140 mm
Package height	370 mm
Package weight	3.4 kg
Package type	Box

Packaging content

Stand included	Yes
Cables included	HDMI
Power adapter included	Yes
Quick start guide	Yes
Manual	Yes

Other features

Compliance certificates	CE
Mean time between failures (MTBF)	30000 h

Matmenys ir svoris

Matmenys (I × P × A)	56,00cm × 14,00cm × 37,00cm
----------------------	-----------------------------