



WRL RANGE EXTENDER 733MBPS/RE205 TP-LINK



Modelis: RE205

Gamintojas: TP-LINK

EAN: 6935364080976

Prekės kodas: 555170

28.99€

Stable Dual Band Wi-Fi Extension to Bring Dead Zones to Life

AC750 Wi-Fi Range Extender

RE205

Easily Expand Your Wi-Fi Coverage

Tired of Wi-Fi dead zones in your home? The RE205 Range Extender connects to your Wi-Fi router wirelessly, strengthening and expanding its signal into areas it can't reach on its own, while reducing signal interference to ensure reliable Wi-Fi coverage throughout your home or office.

High-Speed Dual Band Wi-Fi for Better Connections

The RE205 lets you keep more devices connected at the same time with its 2.4GHz 300Mbps and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

5GHz 433Mbps dual bands. Use the 2.4GHz band to send email and browse the web, and the 5GHz band for gaming and HD streaming.

Perfect Location at a Glimpse

An Intelligent Signal light helps you quickly find the best location to install the RE205.

Built-in Access Point Mode

RE205 is more than a wireless range extender. Simply plug the Ethernet cable into its Ethernet port to easily turn your wired internet connection into a dual band wireless access point.

Easy Management and Remote Control

The RE205 works with all Wi-Fi routers. You can use TP-Link's free Tether app to set up the range extender from any Android or iOS device in minutes. This feature-rich phone app allows you to enjoy not only hassle-free installation, but also access to advanced network management, all at your fingertips.

- Brings Wi-Fi dead zone to life with strong Wi-Fi expansion at combined speed of up to 750Mbps
- Operates over both the 2.4GHz band(300Mbps) and 5GHz band(433Mbps) for more stable wireless experience
- Intelligent signal light helps to find the best location for optimal Wi-Fi coverage by showing the signal strength
- Works with any Wi-Fi router or wireless access point

Summary: TP-Link AC750 Wi-Fi Range Extender. Type: Network repeater, Data transfer rate: 423 Mbit/s, Ethernet LAN data rates: 10,100 Mbit/s. Antenna type: External. Cabling technology: 10/100Base-T(X), Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Product colour: White, LED indicators: Power, Signal strength, WLAN, Certification: CE, FCC, RoHS. Power consumption (typical): 6.5 W, Power consumption (max): 7.3 W | Vendor Homepage: <https://www.tp-link.com/uk/home-networking/range-extender/re205/> | Data transfer rate: 423 | Ethernet LAN data rates: 10/100 | Type: Network repeater | WPS push button: Yes | Antenna type: External | Antennas quantity: 2 | Cabling technology: 10/100Base-T(X) | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Security algorithms: SSID/WEP/WPA/WPA2/WPA2-PSK/WPA-PSK | Wi-Fi: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Fi data rate (max): 433 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | Ethernet LAN (RJ-45) ports: 1 | Certification: CE, FCC, RoHS | LED indicators: Power/Signal strength/WLAN | Product colour: White | Reset button: Yes | Power consumption (max): 7.3 | Power consumption (typical): 6.5 | Depth: 78 | Height: 77 | Width: 80 | Manual: Yes | Quick start guide: Yes | Package type: Box | Model: RE205 | Model name: AC750 Wi-Fi Range Extender | Units per Shipping Box: 20 | Unit Calculated Volume: 0.001747 | Unit Calculated Weight: 0.263