



**Mainboard
GIGABYTE AMD
B650 Socket
AM5 micro ATX
RAM DDR5-
SDRAM 2xSlots
Wi-Fi Yes
Bluetooth Yes
1xNumber of
M.2 (M) slots
B650M GAMING
WIFI6E (rev. 1.4)
B650MGAMINGWIFI6E1.4**

Modelis: B650M GAMING WIFI6E 1.4

Gamintojas: GIGABYTE

EAN: 4719331867942

Prekės kodas: 555450

124.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

- AMD Socket AM5 □ Supports AMD Ryzen 7000 / Ryzen 8000 / Ryzen 9000 Series Processors
- Unparalleled Performance □ 5+2+2 Phases Digital VRM Solution
- Dual Channel DDR5 □ 2*SMD DIMMs with AMD EXPO™ & Intel® XMP Memory Module Support
- SuperSpeed Storage □ PCIe 4.0 x4 M.2 Connector
- EZ-Latch □ PCIe x16 Slot with Quick Release Design
- Fast Networks □ 2.5GbE LAN & Wi-Fi 6E 802.11ax
- Extended Connectivity □ HDMI , D-sub
- Smart Fan 6 □ Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- Q-Flash Plus □ Update BIOS Without Installing the CPU, Memory and Graphics Card

Summary: GIGABYTE B650M GAMING WIFI6E Motherboard - AMD Ryzen 9000 Series CPUs, 5+2+2 Phases VRM, up to 6400MHz DDR5 (OC), 1xPCIe 4.0 M.2, 2.5 GbE LAN, WIFI 6E, USB 3.2 Gen 1.

Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Supported memory types: DDR5-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10.

Maximum resolution: 4096 x 2160 pixels. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi standards: Wi-Fi 6E (802.11ax) | Vendor Homepage:

<https://www.gigabyte.com/> | Audio output channels: 7.1 | Component for: PC | Motherboard chipset:

AMD B650 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | PC health

monitoring: Fan/Temperature/Voltage | Power source type: ATX | Windows operating systems

supported: Windows 10 x64/Windows 11 | Compatible processor series: AMD Ryzen 7000 Series/AMD

Ryzen 8000 Series/AMD Ryzen 9000 Series | Processor manufacturer: AMD | Processor socket:

Socket AM5 | Supported processor sockets: Socket AM5 | ECC compatibility: Non-ECC | Maximum

internal memory: 128 | Maximum internal memory per slot: 64 | Memory channels: Dual-channel |

Memory slots type: DIMM | Number of memory slots: 2 | Supported memory clock speed (max): 6400

| Supported memory clock speeds: 4400/4800/5200/5600/6000/6200/6400 | Supported memory

types: DDR5-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 | Number of storage

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

drives supported: 5 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage drive interfaces: M.2,SATA III | Supported storage drive types: HDD & SSD | HDCP: Yes | Maximum resolution: 4096 x 2160 | Parallel processing technology support: Not supported | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Front panel connector: Yes | Number of chassis fan connectors: 2 | Number of CPU fan connectors: 1 | Number of EPS power connectors (8-pin): 1 | Number of RGB LED pin headers: 3 | Number of SATA III connectors: 4 | RGB LED pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone outputs: 1 | Line-in: Yes | Microphone in: Yes | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 4 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | VGA (D-Sub) ports quantity: 1 | WiFi-AP antenna jack: 2 | Bluetooth: Yes | Bluetooth version: 5.3 | Ethernet interface type: 2.5 Gigabit Ethernet | Ethernet LAN: Yes | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Wi-Fi: Yes | Wi-Fi standards: Wi-Fi 6E (802.11ax) | WLAN controller model: Realtek RTL8852CE | 1st M.2 highest PCI Express generation: 4.0 | 1st M.2 largest key size: 2580 | Number of M.2 (M) slots: 1 | PCI Express x1 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 4.x) slots: 1 | ACPI version: 5.0 | BIOS memory size: 256 | BIOS type: UEFI AMI | Clear CMOS jumper: Yes | Desktop Management Interface (DMI) version: 2.7 | System Management BIOS (SMBIOS) version: 2.7 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Battery type: CR2032 | Battery weight: 3 | Country of origin: China | Lithium weight per battery: 0.07 | Number of battery cells: 1 | Package depth: 268 | Package height: 68 | Package weight: 1210 | Package width: 270 | Products per shipping (inner) case: 1 | Depth: 225 | Height: 35 | Width: 240 | Antenna included: Yes | Batteries included: Yes | Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | Screws included: Yes | Warranty period: 3 | Weight: 720 | Model: B650M GAMING WIFI6E (rev. 1.4) | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.006327 | Unit Calculated Weight: 1.12