

# CLUB3D Travel Charger 132W GAN technology, Four port USB Type-A and -C, Power Delivery(PD) 3.0 Support

Gamintojas: CLUB3D · Modelis: CAC-1906 · EAN: 8719214472276 · Prekės kodas: 555650



**104,89 €** ~~125,90 €~~

Kaina su PVM

Be PVM: **86,69 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Internal chip allows an input voltage of 100-240VAC 50/60Hz
- ✓ 132W of output power in total
- ✓ GAN technology



## Aprašymas

The Club 3D CAC-1906 Travel Charger 132W GAN technology, Four port USB Type-A and -C, Power Delivery(PD) 3.0 Support. This product is a high-performance, low weight travel charger with a maximum output power of 132W. Equipped with 3 USB Type-C ports and 1 Type-A port, the total output supports up to 132W, which can meet the needs of charging four devices at the same time. Compatible with multiple devices (support mobile phones, tablets and laptops). It is a convenient companion during travel and for business! Compact size & Superior Performance: GAN technology makes this charger 50% smaller than a 132W MacBook charger, small enough to carry anywhere. The 132W wall charger match a variety of PD devices from smart phones to laptops, one for all making charging simple. The Power Charger is light weight without compromising on Quality and safety. By adopting Power Delivery(PD) charging technology, this versatile Power Charger provides you with charging function through USB Type-C interface, you can charge any connected Mobilephone / Tablet / Notebook.

### Charging:

By adopting PD 3.0 Charging technology and charging function through USBType-C interface the Club 3D Power Charger offers versatile and unique functionality. It will charge your devices up to 132Watts. Built-in safeguards protect your devices against excessive current, overcharging and

overheating.

Techninė specifikacija

|                                                 |                         |
|-------------------------------------------------|-------------------------|
| Specifications                                  |                         |
| Sandėlio grupė                                  | Chargers [+98][-80]     |
| Performance                                     |                         |
| Charger type                                    | Indoor                  |
| Charger compatibility                           | Universal               |
| Power source type                               | DC                      |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1                       |
| USB Type-C ports quantity                       | 3                       |
| USB Power Delivery (USB PD)                     | Yes                     |
| USB Power Delivery revision                     | 3                       |
| Power protection features                       | Overload, Short circuit |
| Design                                          |                         |
| Product colour                                  | Black                   |
| Plug and Play                                   | Yes                     |
| Gallium nitride (GaN) transistors               | Yes                     |
| Power                                           |                         |
| Input voltage                                   | 100 - 240 V             |
| Input frequency                                 | 50/60 Hz                |
| Maximum power                                   | 132 W                   |
| Port 1 output power                             | 100 W                   |
| Port 2 output power                             | 20 W                    |
| Port 3 output power                             | 12 W                    |
| Output current (5V)                             | 3 A                     |
| Output current (9V)                             | 3 A                     |
| Output current (12V)                            | 3 A                     |
| Port 1 output current                           | 3 A                     |
| Port 2 output current                           | 5 A                     |
| Port 3 output current                           | 2.22 A                  |
| Weight & dimensions                             |                         |
| Width                                           | 109 mm                  |
| Depth                                           | 86 mm                   |

|                                        |                            |
|----------------------------------------|----------------------------|
| Height                                 | 32 mm                      |
| Weight                                 | 487 g                      |
| <b>Packaging data</b>                  |                            |
| Package width                          | 175 mm                     |
| Package depth                          | 175 mm                     |
| Package height                         | 45 mm                      |
| Package weight                         | 594 g                      |
| Package type                           | Box                        |
| <b>Packaging content</b>               |                            |
| Quantity per pack                      | 1 pc(s)                    |
| AC adapter included                    | Yes                        |
| Cables included                        | USB                        |
| <b>Packaging composition</b>           |                            |
| Plastic packaging weight               | 5 g                        |
| Paper/cardboard packaging weight       | 63 g                       |
| Total plastic packaging weight         | 0 g                        |
| Total paper/cardboard packaging weight | 0 g                        |
| <b>Logistics data</b>                  |                            |
| Harmonized System (HS) code            | 85044095                   |
| <b>Matmenys ir svoris</b>              |                            |
| Matmenys (I × P × A)                   | 18,00cm × 5,00cm × 18,00cm |