



I/O HUB USB-C 5IN1/0.13M HMC-5G21 AXAGON

Modelis: HMC-5G21

Gamintojas: AXAGON

EAN: 8595247909060

Prekės kodas: 555920

41.99€

The multi-port USB-C 10Gbps AXAGON HMC-5G21 SPEEDSTER 5in1 hub expands your notebook, computer, or phone with five ports. Connection is made via a 13 cm USB-C cable. This gives you immediate access to a 4K monitor connection and other USB peripherals. It also allows you to power your notebook using Power Delivery technology. Compatibility with Thunderbolt 3/4/5 also provides a simple and compact docking station for laptops like the Apple MacBook Air or Pro.

Two USB-A 10Gbps outputs allow connection of external drives, flash drives, mouse, printer, and other USB accessories. USB ports also charge mobile phones and tablets with a current of up to 1.5A. The hub is also equipped with a combined USB-C port that can be used for data transfer (USB 10Gbps) or for charging a notebook using a Power Delivery charger. With a suitable PD charger, you can power not only your notebook but also the hub itself with up to 60W power using Power Delivery 3.0 technology.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The HDMI output allows connection of an external monitor, TV, or projector with resolutions up to 4K/30Hz Ultra HD, 2K/60Hz Quad HD, or 1080p/120Hz Full HD and multi-channel audio transmission.

For proper video output functionality, the notebook must have a USB-C port supporting DisplayPort Alternate Mode (DP Alt Mode) or a Thunderbolt 3 and higher port.

The compact and slim aluminum body not only looks great but also ensures mechanical durability and passive cooling. You'll also appreciate the finely textured surface that resists fingerprints.

The USB-C hub is an ideal accessory for laptops without USB-A connectors or video output. This allows you to use your existing USB peripherals without buying new ones. Thanks to Plug and Play and Hot Plug functions, connecting the hub is very simple without complicated installation, and peripherals can be connected or disconnected while the computer is running. The hub can also be connected to phones with a USB-C connector. You can connect a flash drive, keyboard, mouse, monitor, TV, or projector to your phone.

Input (connection to notebook):

- USB 10Gbps (USB 3.2 Gen 2), USB-C male connector.
- Compatible with USB 3.2 Gen 1, USB4, and Thunderbolt 3/4/5.

Input (power):

- USB Power Delivery 3.0 – 60W port, USB-C female connector.
- Notebook power via wall adapter through USB-C hub.
- PD power must be supported by both the notebook (phone) and the charger.

USB outputs:

- 2× USB 10Gbps ports, USB-A female connector.
- 1× USB 10Gbps port, USB-C female connector.
- 1× USB 10Gbps port for data transfer or Power Delivery charging, USB-C female connector.
- The USB-C hub can connect several external drives at the same time.

HDMI output:

- 1× HDMI port, HDMI A female connector.

- 4K / UHD resolution 4096 × 2160 at up to 30Hz.
- 2K / QHD resolution 2560 × 1440 at up to 60Hz.
- 1080p / FHD resolution 1920 × 1080 at up to 120Hz.
- Support for the above max resolutions and frequencies requires connection to a computer with DisplayPort version 1.4.
- For video output to work, the hub must be connected to a USB-C port that supports DisplayPort Alternate Mode (DP Alt Mode) or to a USB-C port with Thunderbolt 3/4/5 support. A suitable OS is also required. Without this support, the video output will not be available.
- HPD (Hot-Plug-Detect) support.
- TMDS (Transition Minimized Differential Signaling) support.
- Full HDCP 1.4 and 2.2 (High-bandwidth Digital Content Protection) support.
- Support for up to 8-channel LPCM audio.
- Support for sampling rates up to 192kHz and up to 24-bit audio – depends on the source and destination devices, i.e., notebook/phone and TV/monitor/AV receiver.

Other features:

- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- Power-saving mode support.
- Power via USB bus - bus power, or PD charger.
- Durable aluminum body for better hub cooling.
- Blue LED indicates hub connection to the computer (steady light), or brighter when connected to a Power Delivery charger.
- High-quality shielded cable ensures high communication speed and minimal interference.
- Dimensions 105 × 40 × 12 mm.
- Weight 60 g (including cable).
- USB cable length 13 cm.

Supported operating systems:

- Microsoft Windows 10 / 11, macOS, iPadOS, iOS, Linux, Chrome OS, and Android.
- Compatibility depends on the operating system and device manufacturer support.
- DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated operating systems and also depends on device support (notebook, phone).

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

- Proper product functionality may also be affected by graphics card drivers. It is recommended to download the latest drivers.

Package contents:

- USB-C hub with fixed 13 cm cable,
- multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / SK / SWE / TR / UA / BG / CN / ARA.
- packed in cardboard box with hanging hole.

Summary: Axagon HMC-5G21 USB 10Gbps hub, 2x USB-A, 2x USB-C, HDMI 4k/30Hz, PD 60W, USB-C cable. Connectivity technology: Wired, Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery up to: 60 W. Product colour: Grey, Data transfer rate: 10 Gbit/s, HD type: 4K Ultra HD.

Power source type: USB, Power connector: USB Type-C, Output current: 3 A. Width: 105 mm, Depth: 40 mm, Height: 12 mm. Quantity per pack: 1 pc(s), Package width: 190 mm, Package depth: 93 mm

| Vendor Homepage: <https://www.axagon.eu/en/produkty/hmc-5g21> | Combo headphone/mic port:

No | Connectivity technology: Wired | DC-in jack: No | HDCP: Yes | HDCP version: 1.4 | HDMI ports

quantity: 1 | Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C | Microphone in: No | USB 3.2 Gen 2

(3.1 Gen 2) Type-A ports quantity: 2 | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 2 | USB

Power Delivery (USB PD): Yes | USB Power Delivery revision: 3.0 | USB Power Delivery up to: 60 | USB

Type-C DisplayPort Alternate Mode: Yes | Ethernet LAN: No | Brand compatibility: Universal | Card

reader integrated: No | Certification: CE, RoHS | Charging function: Yes | Country of origin: China |

Data transfer rate: 10 | HD type: 4K Ultra HD | Hot-Plug support: Yes | Housing material: Aluminium |

Hub dimensions (W x D x H): 105 x 40 x 12 | Hub interfaces: HDMI/USB 3.2 Gen 1 (3.1 Gen 1) Type-

C/USB 3.2 Gen 2 (3.1 Gen 2) Type-A | Hub weight: 60 | LED indicators: Yes | Maximum digital

resolution: 4096 x 2160 | Maximum refresh rate: 120 | Plug and Play: Yes | Product colour: Grey |

Built-in microphone: No | Built-in speaker(s): No | Built-in fan: No | Output current: 3 | Power

connector: USB Type-C | Power source type: USB | USB cable length: 0.13 | Wireless charging: No |

Linux operating systems supported: Yes | Mac operating systems supported: Yes | Mobile operating

systems supported: Yes | Other operating systems supported: Yes | Server operating systems

supported: Yes | Windows operating systems supported: Yes | Depth: 40 | Height: 12 | Weight: 60 |

Width: 105 | Package depth: 93 | Package height: 25 | Package weight: 101 | Package width: 190 |

Quantity per pack: 1 | Cables included: USB Type-C | Manual: Yes | Compliance certificates: CE/RoHS

| Warranty period: 2 | Model: HMC-5G21 | Units per Shipping Box: 1 | Unit Calculated Volume:

0.000361 | Unit Calculated Weight: 0.09

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903