

Dahua Technology LM24-C301B computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LED Black

Gamintojas: **DAHUA** · Modelis: **DHI-LM24-C301B** · EAN: **6939554921513** · Prekės kodas: **555957**



119,90 €

Kaina su PVM

Be PVM: **99,09 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ The 2560 × 1440 resolution produces clearer and more vivid images
- ✓ IPS panel for wide viewing angles with 3-sided frameless design
- ✓ 178° (H) / 178° (V) extra-wide viewing angle for overall viewing performance
- ✓ 5 ms fast response time with no image blurring or ghosting
- ✓ Low blue light technology can support a comfortable viewing experience



Aprašymas

- The 2560 × 1440 resolution produces clearer and more vivid images
- IPS panel for wide viewing angles with 3-sided frameless design
- 178° (H) / 178° (V) extra-wide viewing angle for overall viewing performance
- 5 ms fast response time with no image blurring or ghosting
- Low blue light technology can support a comfortable viewing experience

Summary: Dahua Technology LM24-C301B. Display diagonal: 60.5 cm (23.8"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black | Vendor Homepage: <https://www.dahuasecurity.com/fr/products/All-Products/Display--Control/Monitors/Commercial->

Series/LM24-C301B=V1 | Display diagonal: 23.8 | Display resolution: 2560 x 1440 | HD type: Quad HD | Native aspect ratio: 16:9 | Display technology: LED | Panel type: IPS | LED backlight: Yes | Backlight type: Edge LED | Touchscreen: No | Display brightness (typical): 300 | Response time: 5 | Screen shape: Flat | Supported graphics resolutions: 2560 x 1440 | Supported video modes: 1440p | Contrast ratio (typical): 1200:1 | Maximum refresh rate: 100 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Display diagonal (metric): 61 | Haze rate: 25 | Colour depth: 8 | Colour gamut standard: NTSC | NTSC coverage (typical): 85 | NVIDIA G-SYNC: No | AMD FreeSync: No | Low Blue Light technology: Yes | Built-in speaker(s): No | Built-in camera: No | Market positioning: Office | Product colour: Black | Frameless design: Yes | Front bezel colour: Black | Detachable stand: Yes | Illuminated stand: No | Feet colour: Black | Built-in USB hub: No | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | DisplayPorts quantity: 1 | DisplayPort version: 1.2 | Headphone out: Yes | Headphone connectivity: 3.5 mm | Wi-Fi: No | Bluetooth: No | VESA mounting: Yes | Panel mounting interface: 75 x 75 | Wall mountable: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 15 | Plug and Play: Yes | Energy efficiency class (SDR): F | Energy efficiency class (HDR): Not available | Energy consumption (SDR) per 1000 hours: 21 | Power consumption (typical): 24 | Power consumption (standby): 0.5 | Power consumption (max): 24 | Power consumption (off): 0.3 | AC adapter output voltage: 12 | Power supply type: External | Energy efficiency scale: A to G | Operating temperature (T-T): 0 - 40 | Storage temperature (T-T): -20 - 60 | Operating relative humidity (H-H): 10 - 90 | Storage relative humidity (H-H): 5 - 90 | Width (with stand): 539.2 | Depth (with stand): 190 | Height (with stand): 418.6 | Width (without stand): 539.2 | Depth (without stand): 41.3 | Height (without stand): 320.4 | Weight (without stand): 3100 | Bezel width (side): 3.1 | Bezel width (top): 3.1 | Bezel width (bottom): 15.9 | Package width: 612 | Package depth: 111 | Package height: 405 | Package weight: 4000 | Stand included: Yes | Cables included: HDMI | Power adapter included: Yes | Quick start guide: Yes | Manual: Yes | Automatic brightness control: No | Compliance certificates: Electromagnetic Compatibility (EMC)/Low Voltage Directive (LVD) | Energy efficiency class: F | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2059227/fiches?language=EN> | EPREL Version Number: 2 | EPREL Registration Number: 2059227 | Unit Calculated Weight: 4.15 | Product Net Weight: 3.1 | Unit Calculated Volume: 0.02928 | Units per Shipping Box: 1 | Unit Width: 12 | Units per Pallet: 0 | Shipping Box Height: 40 | Unit Depth: 61 | Unit Height: 40 | Name: MONITOR LCD 24"/DHI-LM24-C301B DAHUA

Techninė specifikacija

Specifications	
Sandėlio grupė	Monitors [+143][-339]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1200:1
Maximum refresh rate	100 Hz
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	300 cd/m²
Supported graphics resolutions	2560 x 1440
Supported video modes	1440p

Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display diagonal (metric)	61 cm
Haze rate	25%
Colour depth	8 bit
Colour gamut standard	NTSC
NTSC coverage (typical)	85%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Frameless design	Yes
Front bezel colour	Black
Detachable stand	Yes
Illuminated stand	No
Feet colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone connectivity	3.5 mm
Network	
Wi-Fi	No
Bluetooth	No

Ergonomics

VESA mounting	Yes
Panel mounting interface	75 x 75 mm
Wall mountable	Yes
Tilt adjustment	Yes
Tilt angle range	-5 - 15°
Plug and Play	Yes

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (typical)	24 W
Power consumption (standby)	0.5 W
Power consumption (max)	24 W
Power consumption (off)	0.3 W
AC adapter output voltage	12 V
Power supply type	External
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width (with stand)	539.2 mm
Depth (with stand)	190 mm
Height (with stand)	418.6 mm
Width (without stand)	539.2 mm
Depth (without stand)	41.3 mm
Height (without stand)	320.4 mm
Weight (without stand)	3.1 kg
Bezel width (side)	3.1 mm
Bezel width (top)	3.1 mm
Bezel width (bottom)	1.59 cm

Packaging data

Package width	612 mm
Package depth	111 mm
Package height	405 mm
Package weight	4 kg

Packaging content

Stand included	Yes
Cables included	HDMI
Power adapter included	Yes
Quick start guide	Yes
Manual	Yes

Other features

Automatic brightness control	No
Compliance certificates	Electromagnetic Compatibility (EMC), Low Voltage Directive (LVD)

Matmenys ir svoris

Matmenys (I × P × A)	61,00cm × 12,00cm × 40,00cm
----------------------	-----------------------------