



Mainboard GIGABYTE AMD B650 Socket AM5 ATX RAM DDR5-SDRAM 4xSlots Wi-Fi Yes Bluetooth Yes 3xNumber of M.2 (M) slots B650EAGLEAX1.2

Modelis: B650 EAGLE AX 1.2

Gamintojas: GIGABYTE

EAN: 4719331860158

Prekės kodas: 556120

136.98€

Материнська плата GIGABYTE B650 EAGLE AX

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

- AMD Socket AM5□ Supports AMD Ryzen 7000/ Ryzen 8000/ Ryzen 9000 Series Processors
- Unparalleled Performance□ 12+2+2 Phases Digital VRM Solution
- Dual Channel DDR5□ 4*SMD DIMMs with AMD EXPO & Intel XMP Memory Module Support
- SuperSpeed Storage□ 1*PCIe 5.0 + 2*PCIe 4.0 M.2 Connectors
- Advanced Thermal Design & M.2 Thermal Guard□ To Ensure VRM Power Stability & 25110 M.2 SSD Performance
- EZ-Latch□ PCIe x16 Slot with Quick Release Design
- Fast Networks□ Wi-Fi 6E 802.11ax & GbE LAN
- Extended Connectivity□ DP, HDMI, Rear USB 10Gb/s
- Smart Fan 6□ Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- Q-Flash Plus□ Update BIOS Without Installing the CPU, Memory and Graphics Card

Summary: GIGABYTE B650 EAGLE AX Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 7600MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, GbE LAN, WIFI 6E, USB 3.2 Gen 2.

Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Supported memory types: DDR5-SDRAM, Maximum internal memory: 256 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10.

Maximum resolution: 4096 x 2160 pixels. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H, Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Vendor Homepage:

<https://www.gigabyte.com/Motherboard/B650-EAGLE-AX-rev-10-11> | Audio chip: Realtek ALC897 |

Audio output channels: 7.1 | Component for: PC | Motherboard chipset: AMD B650 | Motherboard chipset family: AMD | Motherboard form factor: ATX | PC health monitoring:

Fan/Temperature/Voltage/Water cooling | Power source type: ATX | Product colour: Brown | Windows

operating systems supported: Windows 10 x64/Windows 11 x64 | Compatible processor series: AMD

Ryzen 7000 Series/AMD Ryzen 8000 Series/AMD Ryzen 9000 Series | Processor manufacturer: AMD |

Processor socket: Socket AM5 | Supported processor sockets: Socket AM5 | ECC compatibility: Non-

ECC | Maximum internal memory: 256 | Maximum internal memory per slot: 64 | Memory channels:

Dual-channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock

speed (max): 7600 | Supported memory clock speeds:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

4400/4800/5200/5600/6000/6200/6400/6600/6800/7000/7200/7600 | Supported memory types: DDR5-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 | Number of storage drives supported: 7 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage drive interfaces: M.2,SATA III | Supported storage drive types: HDD & SSD | DirectX version: 12.0 | Discrete graphics support: Yes | HDCP: Yes | Maximum resolution: 4096 x 2160 | Parallel processing technology support: Not supported | 12V power connector: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Front panel connector: Yes | Number of chassis fan connectors: 3 | Number of CPU fan connectors: 2 | Number of RGB LED pin headers: 4 | Number of SATA III connectors: 4 | Number of water pump connectors: 2 | RGB LED pin header: Yes | Serial port headers: 1 | TPM connector: Yes | USB 2.0 connectors: 3 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | USB 3.2 Gen 2 (3.1 Gen 2) connectors: 1 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone outputs: 1 | Line-in: Yes | Microphone in: Yes | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 6 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 1 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | WiFi-AP antenna jack: 2 | Bluetooth: Yes | Bluetooth version: 5.3 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8111H | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Wi-Fi: Yes | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 6E (802.11ax) | WLAN controller model: Realtek RTL8852CE | 1st M.2 highest PCI Express generation: 5.0 | 1st M.2 largest key size: 25110 | 2nd M.2 highest PCI Express generation: 4.0 | 2nd M.2 largest key size: 22110 | 3rd M.2 highest PCI Express generation: 4.0 | 3rd M.2 largest key size: 22110 | Number of M.2 (M) slots: 3 | PCI Express x16 (Gen 3.x) slots: 3 | PCI Express x16 (Gen 4.x) slots: 1 | ACPI version: 5.0 | BIOS memory size: 256 | BIOS type: UEFI AMI | Clear CMOS jumper: Yes | Desktop Management Interface (DMI) version: 2.7 | System Management BIOS (SMBIOS) version: 2.7 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Battery type: CR2032 | Battery weight: 3 | Country of origin: China | Lithium weight per battery: 0.07 | Number of battery cells: 1 | Package depth: 270 | Package height: 80 | Package weight: 1943 | Package width: 335 | Products per shipping (inner) case: 1 | Depth: 244 | Height: 35 | Width: 305 | Antenna included: Yes | Batteries included: Yes | Bundled software: Norton Internet Security (OEM version) LAN bandwidth management software | Screws included: Yes | Warranty period: 3 | Model: GIGABYTE B650 EAGLE AX | Units per Pallet: 0 | Units per Shipping Box: 8 | Unit Calculated Volume: 0.009973 | Unit Calculated Weight: 1.92