

Acer Predator XB273KV4bmiiprx computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

Gamintojas: **ACER** · Modelis: **UM.HX3EE.401** · EAN: **4711474388827** · Prekės kodas: **558505**



356,90 €

Kaina su PVM

Be PVM: **294,96 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ HDMI HDMI version: 2.1 DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 320 Hz Response time: 1 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: IPS
- ✓ Energy efficiency class (SDR): F MPR II



Techninė specifikacija

Specifications

Sandėlio grupė Monitors [+296][-472]

Display

Display diagonal 68.6 cm (27")

Display resolution 3840 x 2160 pixels

Native aspect ratio 16:9

Display technology	LED
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	1 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	320 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Digital horizontal frequency	30 - 374 kHz
Digital vertical frequency	48 - 320 Hz
Display diagonal (metric)	68.6 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Colour gamut standard	DCI-P3
Colour gamut	90%
Performance	
NVIDIA G-SYNC	Yes
AMD FreeSync	Yes
NVIDIA G-SYNC type	G-SYNC
AMD FreeSync type	FreeSync Premium
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Gaming
Product colour	Black

Ports & interfaces

Built-in USB hub	No
HDMI	Yes
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort out version	1.4
Audio output	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Tilt adjustment	Yes
Tilt angle range	-5 - 25°

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	F
Energy consumption (SDR) per 1000 hours	25 kWh
Energy consumption (HDR) per 1000 hours	25 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (without stand)	614 mm
Depth (without stand)	67 mm
Height (without stand)	367 mm
Weight (without stand)	4.4 kg

Packaging data

Package width	685 mm
Package depth	148 mm
Package height	515 mm
Package weight	8.5 kg
Packaging content	
Cables included	AC, HDMI
Other features	
Compliance certificates	MPR II
Mean time between failures (MTBF)	30000 h