



Neewer MS60C RGB LED Light



Modelis: 10104700

Gamintojas: NEEWER

EAN: 6921268813833

Prekės kodas: 560917

200.99€

Neewer MS60C RGB LED Light

The NEEWER MS60C RGB combines high power (65W), advanced RGBWW color mixing, and a compact design, making it ideal for both studio and outdoor shoots. A wide color temperature range, extensive lighting modes, and as many as 17 special effects allow you to tailor the light to any scene. The lightweight aluminum housing, wireless control, and battery-powered operation give you great freedom to work regardless of the location.

Precise light and natural color reproduction

The MS60C model uses RGBWW color mixing technology, which ensures highly accurate color reproduction and greater control over the character of the light. The color temperature, adjustable from 2700K to 6500K, allows for a smooth transition from warm, atmospheric lighting to cool daylight. A high CRI of 97+ and TLCI of 98+ ensure that colors appear natural in both photos and video recordings. The light offers a maximum light intensity of up to 41,000 lux at 0.5 m with a reflector (4400K), and thanks to PWM technology, it allows for smooth dimming from 0 to 100% with

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

1% precision.

Designed for studio and on-location work

Its compact form and light weight make the MS60C ideal for mobile shoots. The aluminum housing increases the durability of the construction, and the entire unit weighs only about 700 g with dimensions of 150 × 95 × 92 mm, so the light doesn't take up much space in a camera bag. The detachable mount, adjustable within a 180° range, makes it easy to position the light at the right angle during recordings, live broadcasts, or photo shoots. A quiet fan effectively cools the device without disrupting work on set.

Extensive RGB modes and creative lighting effects

The NEEWER MS60C offers four operating modes (CCT, HSI, RGBCW, and FX). This allows you to quickly adjust the light's character to a specific scene or create more creative visual effects. RGBCW mode lets you independently adjust the red, green, blue, and warm/cool white components, offering vast possibilities for setting the mood of your shot. A color angle range of 0–360°, saturation adjustment from 0 to 100%, and GM correction from -50 to +50 help you reproduce natural light even more accurately or create entirely original color compositions. Users also have access to 17 preset special effects useful for producing dynamic video content.

Convenient control and synchronization of multiple lights

The light can be operated directly via buttons on the housing or remotely using the NEEWER app. The Infinity system allows for simultaneous control of multiple lights and OTA software updates, making it easier to manage larger lighting setups. The built-in 2.4G system supports operation on channels 00–99 at a distance of up to 20 meters, allowing multiple devices set to the same channel to be synchronized simultaneously. This solution is particularly useful during extensive photo shoots, studio recordings, or live broadcasts.

Flexible Power Options

The MS60C is designed for both stationary and mobile use. The included battery plate allows the light to be powered by one or two batteries, increasing convenience when working outside the

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

studio. The model is compatible with NP-F750 and NP-F970 batteries and can also be powered by a 14.4V V-Mount battery using a D-Tap cable. The kit also includes an AC adapter for continuous operation when plugged into an electrical outlet. An additional advantage is the included Bowens mounting adapter, which allows you to use a wide range of light modifiers.

Included

- MS60C LED light
- Reflector
- Handle
- Power cable
- Power adapter
- Battery plate
- Battery cable
- V-Mount battery adapter plate
- Bowens mounting adapter
- User manual

Manufacturer	Neewer
Model	MS60C
Weight	700 g
Battery type	NP-F750/F970
Power source	AC power adapter, AC power
Input voltage	100–240 V
DC output	19.6 V/4 A
Dimming range	0–100%
Color temperature	2700 K–6500 K
Channels	00–99
CRI	97+
Power	65 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Illuminance 41,000 lx/0.5 m, 8,300 lx/m

Frequency 1-10

Number of special effects 17

GM values -50/+50

Color angles 0-360°

Saturation 0-100%

R/G/B/C/W 0-255

GPSR Link: <https://psr->

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), Gross weight: 2630, Net weight: 2500, Box length: 38,00, Box width: 12,00, Box height: 31,00

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903