



Peladn X-2 Thunderbolt 3 Docking Station

Modelis: X-2

Gamintojas: PELADN

EAN: 6972410027769

Prekės kodas: 561053

198.98€

Peladn X-2 Thunderbolt 3 Docking Station

The Peladn X-2 Thunderbolt 3 is an eGPU docking station that significantly boosts the graphics performance of a compatible computer equipped with a Thunderbolt 3 or USB4 port. With 40 Gbps bandwidth, support for external PCIe x16 graphics cards, and the ability to use ATX or SFX power supplies, it offers a flexible solution for gamers, designers, and content creators. The design supports the latest NVIDIA RTX 40 and RTX 50 series graphics cards as well as AMD RX 7000 series cards, allowing you to build a setup tailored to your individual needs.

More power for gaming and creative work

Connecting your computer to the dock via the Thunderbolt 3 interface allows you to harness the potential of a high-performance graphics card and significantly enhance your laptop's capabilities. This makes smooth gameplay in demanding AAA titles, 3D modeling, and project rendering possible even on slim and lightweight laptops. This solution is ideal wherever additional GPU computing

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

power is needed.

Two Thunderbolt 3 ports and convenient charging

The dock is equipped with two Thunderbolt 3 ports. The first supports charging the connected laptop, allowing a single cable to handle both data transfer and power delivery. The second Thunderbolt 3 port is for communication and does not support charging.

Flexible selection of graphics card and power supply

The Peladn X-2 allows you to choose a graphics card and power supply that suit your intended use and budget. The dock is compatible with standard ATX and SFX power supplies and supports most available graphics card models using the PCIe x16 interface. The design is compatible with, among others, NVIDIA RTX 40, RTX 50, and AMD RX 7000 series cards.

Thoughtful design and effective cooling

The aluminum alloy chassis is crafted using multiple precision manufacturing processes. The minimalist design, inspired by Pixel Art, gives the X-2 its distinctive look. A three-sided ventilation system and open design aid heat dissipation, while the metal housing further supports effective cooling of components during intensive use.

Support for large graphics cards

The dock supports graphics cards with maximum dimensions of 350 × 150 × 60 mm. This allows for the use of many high-performance models available on the market. The manufacturer notes that the graphics card and power supply are not included in the set and must be purchased separately.

Included

- Peladn X-2 eGPU docking station
- Data cable
- Screwdriver
- User manual

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Manufacturer	Peladn
Model	X-2
Interface	Thunderbolt 3 x2
Laptop charging	Yes (Thunderbolt 3 Port 1)
Power supply	ATX / SFX
Dimensions	371 × 145 × 200 mm
Graphics card support	PCIe x16 interface, compatible with most available graphics card models
System requirements	Windows 10 (64-bit), macOS 10.13.4 or later (AMD cards are recognized automatically; NVIDIA cards require driver installation). A laptop equipped with a Thunderbolt 3 port is required for operation.
Computer requirements	Thunderbolt 3 or USB4 port and support for an external graphics card (eGPU)
Data transfer speed	40 Gb/s

GPSR Link: https://psr-assets.innpro.pl/it_accessories/sg_it_accessories_docking_stations.pdf, Gross weight: 3170, Net weight: 2550, Box length: 41,00, Box width: 19,00, Box height: 25,00