

Lenovo ThinkVision T27QD-40 Monitor

Gamintojas: **LENOVO** · Modelis: **64AAGAT2EU** · Prekės kodas: **563632**



398,90 €

Kaina su PVM

Be PVM: **329,67 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 27" WLED IPS
- ✓ Wide Quad HD, 16:9, 2560 x 1440
- ✓ 120Hz, 4ms, 350cd/m²
- ✓ USB Hub, USB PD (15W)



Aprašymas

Produktbeschreibung Auf einer Diagonale von 68,6 cm (27") mit einer Auflösung von 2.560 x 1.440 Pixeln (QHD) überzeugt das IPS-Panel des ThinkVision T27QD-40 mit überzeugenden Farben und hoher Schärfe. Dieser Monitor kann per HDMI, DisplayPort oder über USB-C mit Signalquellen verbunden werden. Außerdem verfügt das Gerät über einen USB-Hub mit 3 Anschlüssen und kann dank des RJ45-Anschlusses auch als Dockingstation verwendet werden. Dank Höhenverstellung, Drehung, Neigbarkeit und einer Pivot-Funktion erfüllt der T27QD-40 auch hohe ergonomische Ansprüche und dank der Eye-Comfort-Technologie kann man auch lange arbeiten, ohne sich Sorgen um übermüdete Augen machen zu müssen. Art.-Nr.: 100149470 Energieeffizienzklasse (SDR): E (A - G) | Energieverbrauch pro 1000 Stunden (SDR): 22 kWh | Energieeffizienzklasse (HDR): G (A - G) | Energieverbrauch pro 1000 Stunden (HDR): 29 kWh | Leistungsaufnahme im Ein-Zustand bei Standard-Dynamikumfang (SDR): 21,7 Watt | Leistungsaufnahme im Ein-Zustand bei hohem Dynamikumfang (HDR): 29.2 Watt | Leistungsaufnahme im Bereitschafts- und Aus-Zustand: 0,5 Watt | Leistungsaufnahme im vernetzten Bereitschaftsbetrieb: 2 Watt | Bildschirmdiagonale: 68,6 cm (27 Zoll) | Bildschirmauflösung: 2.560 x 1.440 Pixel | Typ: LED-Monitor | Farbe: schwarz | EAN: 0198156756008 | Hersteller-Nr.: 64AAGAT2EU | Geeignet für: Business | Bild: 16:9 | Frequenz: 48 - 120 Hz | Anschlüsse: 1x HDMI-Eingang, (HDMI-Version: 2.1), 1x DisplayPort-Eingang, 1x DisplayPort-Ausgang, (DisplayPort-Version: 1.4), 3x USB-A-3.2 Gen 1 (5 Gbit/s), 1x USB-B-3.2 (5 Gbit/s), 2x USB-C 3.2 Gen 1 (5 Gbit/s), 1x RJ 45 | Ergonomie: Pivot, Drehbar, Neigbar, Höhenverstellbar | Stromversorgung: 0,3 Watt | Standards: 99 % sRGB, 99 % BT.709 | Wandhalterung: VESA kompatibel (100 x 100 mm) | Features: USB-Hub, Lenovo Zubehör- und Display-Manager, ThinkColour, Thin Client-Unterstützung (Tiny), Eye Comfort, USB-C PD 100/15 Watt, Daisy Chain | Zubehör: DP-Kabel,

USB-C-Kabel, Netzkabel, Schnellstartanleitung | Abmessungen: Breite: 61,34 cm x Höhe: 53,91 cm x Tiefe/Länge: 19,5 cm | Gewicht: 6,8 kg

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Wide Quad HD
Panel type	IPS
Response time	6 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Contrast ratio (dynamic)	3000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	4 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	109 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	99%

sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Built-in microphone	No
Design	
Market positioning	Professional
Product colour	Black
Colour name	Eclipse Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black, Red
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of downstream ports	4
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	15 W
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	2

DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15.5 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23.5°
Plug and Play	Yes
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	21.7 kWh
Energy consumption (HDR) per 1000 hours	29.2 kWh
Power consumption (typical)	19 W
Power consumption (standby)	0.5 W
Power consumption (max)	5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Width (with stand)	613.4 mm
Depth (with stand)	195 mm
Height (with stand)	539.1 mm
Weight (with stand)	6.8 kg
Width (without stand)	613.4 mm
Depth (without stand)	46 mm
Height (without stand)	357 mm
Weight (without stand)	4.6 kg
Bezel width (side)	2 mm
Bezel width (top)	2 mm
Bezel width (bottom)	1.15 cm
Packaging data	
Package width	693 mm
Package depth	150 mm
Package height	422 mm
Package weight	9.4 kg
Package type	Box
Packaging content	
Stand included	Yes
Other features	
Certification	ENERGY STAR Certified, TCO 10, TCO Edge 2.1, EU Energy Efficiency Level (Level-E), EPEAT Gold, Eyesafe Display 2.0, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Eye Comfort (5 Stars)
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 61,00cm × 54,00cm
Svoris	6,80kg