

Epson EB-L895U Standard throw projector 8000 ANSI lumens 3LCD WUXGA (1920x1200) Black

Gamintojas: **EPSON** · Modelis: **V11HB27140** · EAN: **8715946737966** · Prekės kodas: **566405**



4 517,90 €

Kaina su PVM

Be PVM: **3 733,80 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Exceptional 8,000 lumens display with WUXGA resolution Ideal for meeting rooms, lecture halls and more. This compact, budget-friendly laser display delivers high-quality performance in any setting
- ✓ Compact design with scalable images up to 500" The lightweight design simplifies transport and installation while offering scalable images up to 500" for maximum flexibility
- ✓ Effortless, flexible installation With a fixed centre lens display, wide lens shift, and advanced features, setup is easy and adaptable to any environment
- ✓ Quiet operation Enjoy high-performance display with a low noise level of 26dB in Eco mode, ensuring a quiet, focused environment for presentations and meetings
- ✓ Instant connectivity with Apple AirPlay 2 and Miracast1 Seamlessly share content from laptops, tablets, and smartphones - perfect for BYOD setups and collaborative environments
- ✓ Making sustainable choices with Epson Made from 19% recycled plastics, low power consumption, reduced packaging and a usage life of up to 30,000 hours in Eco mode (20,000 hours normal)
- ✓ Legal Statement Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase



Aprašymas

The EB-L895U delivers 8,000 lumens, WUXGA resolution, HDR and advanced installation features. It provides up to 30,000 hours of maintenance-free projection in Eco mode. Featuring a fixed centre lens with manual lens shift, 1.6x zoom and 10W speakers, it's ideal for professional applications and offers flexible control options via HDBaseT, LAN and wireless.

Techninė specifikacija

Specifications	
Sandėlio grupė	Projectors [+65][-101]
Projector	
Projector brightness	8000 ANSI lumens
Projection technology	3LCD
Projector native resolution	WUXGA (1920x1200)
Contrast ratio (typical)	5000000:1
Native aspect ratio	16:10
Smart projector	Yes
Screen size compatibility	1270 - 12700 mm (50 - 500")
Supported aspect ratios	16:10, 21:9
Projection distance (wide)	1.4 - 14.8 m
Projection distance (tele)	2.4 - 23.8 m
Number of colours	1.07 billion colours
Keystone correction, horizontal	30°
Keystone correction, vertical	30°
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Focal length range	20 - 31.8 mm
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.6:1
Throw ratio	1.35 - 2.20:1
Horizontal lens shift range	0 - 20%
Vertical lens shift range	0 - 50%

Video

Supported graphics resolutions	1920 x 1200 (WUXGA)
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Natural, Presentation

Ports & interfaces

HDMI ports quantity	1
Serial interface type	RS-232C
HDBaseT port	Yes
DC-in jack	Yes

Network

Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1
Miracast	Yes
Apple AirPlay 2 support	Yes

Features

Noise level	36 dB
Noise level (economic mode)	26 dB
Screen mirroring	Yes
Air filter	Yes

Multimedia

Built-in speaker(s)	Yes
RMS rated power	10 W

Design

Product type	Standard throw projector
Market positioning	Home cinema
Product colour	Black
Housing material	Plastic
Placement	Ceiling, Desktop
Cable lock slot	Yes
Cable lock slot type	Kensington

Display

Built-in display	Yes
Display	LCD
Display diagonal	1.7 cm (0.67")

Power	
Power source	AC
Power consumption (typical)	388 W
Power consumption (standby)	0.4 W
Power consumption (max)	450 W
Power consumption (economy mode)	266 W
AC input voltage	100-240 V
AC input frequency	50-60 Hz
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Weight	8.5 kg
Width	440 mm
Depth	340 mm
Height	138 mm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	Power
Technical details	
Sustainability certificates	TCO
Other features	
Connectivity technology	Wired
Supported network protocols	HTTPS, SNMP, ESC/VP.net, PJLink