

FSP FlexGURU 300W Power supply unit FLEX ATX ATX2.52 / Flex ATX1.23 Black

Gamintojas: **FSP** · Modelis: **PPA3004300** · EAN: **4713224522529** · Prekės kodas: **566525**



85,90 €

Kaina su PVM

Be PVM: **70,99 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compliant with the latest Flex ATX V1.22
- ✓ 300W : Efficiency $\geq 90\%$ at typical load
- ✓ 250W : Efficiency $\geq 85\%$ at typical load
- ✓ Compliant with UL/EN/IEC 62368-1 and 60950 International safety standards
- ✓ Intelligent fan speed control
- ✓ Quiet and long-lasting 40mm ball bearing fan
- ✓ Ribbon cables for the need of enthusiasts
- ✓ Powerful single +12V rail design
- ✓ Main Japanese electrolytic capacitors
- ✓ Intel latest CPU ready



Aprašymas

FSP's FlexGURU Flex ATX models are available in standard direct output and modular cable configurations, which includes the most updated modular model selections in the market. The modular design improves the ease of installation, users can configure their connector cables according to the system needs. The special plug-in design for cables and jacks improves the convenience of replacement. Fully modular connectors allow users to quickly disassemble cables, pinpoint issues and save debugging time whenever the system experiences problems.

Techninė specifikacija

Specifications

Sandėlio grupė	Stromversorgung > PC-Netzteil [+314][-58]
----------------	---

Power

Total power	300 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	6-3 A
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	70 W
Combined power (+5V)	70 W
Max output current (+3.3V)	12 A
Max output current (+12V)	25 A
Max output current (+5V)	14 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Efficiency	90%
Power protection features	Over current, Over power, Short circuit, Under voltage

Ports & interfaces

Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	2
Number of SATA power connectors	4
CPU power connector (4+4 pin)	Yes
ATX power connector (20+4 pin)	Yes
Floppy drive power connector	1
Floppy disk drive connector	Yes
Cabling type	Fully-Modular

Performance

Purpose	Server
Power supply unit (PSU) form factor	Flex ATX
Bearing technology	Ball bearing

Design

Product colour	Black
Fan diameter	4 cm
Number of fans	1 fan(s)

Packaging content

Cables included	CPU, Peripheral (Molex), SATA
-----------------	-------------------------------

Weight & dimensions

Width	40.5 mm
-------	---------

Depth	150 mm
-------	--------

Height	81.5 mm
--------	---------

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	15,00cm × 4,00cm × 8,00cm
----------------------	---------------------------