Xerox B315V_DNI Daugiafunkcis spausdintuvas Lazeris A4 2400 x 2400 DPI 40 ppm „Wi-Fi“

Gamintojas: **XEROX** · Modelis: **B315V_DNI** · EAN: **095205069419** · Prekės kodas: **567673**



311,90 €

Kaina su PVM

Be PVM: **257,77 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Namai ir biuras Lazeris Vienpusis spausdinimas
- ✓ 2400 x 2400 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 40 ppm
- ✓ Vienpusis kopijavimas Spalvotas skenavimas Spalvoto fakso siuntimas
- ✓ Apple AirPrint, Mopria Print Service
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1000 MHz
- ✓ 12,8 kg



Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

The Xerox B315 multifunction printer includes built-in Wi-Fi with Wi-Fi Direct and is easy to set up with Xerox® Smart Start Software, so it is ready to work hard right out of the box. Print from your mobile devices with support for Apple AirPrint, Mopria Print Service and Chromebook printing. Designed for small businesses that need to print, copy, and scan. It includes features such as automatic 2-sided printing on letter and legal sized paper, a 50-sheet automatic document feeder, standard paper capacity of 250 sheets, a 1 GHz Dual Core processor with 512 MB of memory, and monthly print volume up to 2,500 pages, the B315 is a workhorse. Do more with optional Xerox Workflow Central, allowing you to convert documents into other languages, change handwritten messages into shareable text documents, create audio files of hardcopy to listen to on the go, automatically redact content, and convert scans into Microsoft Office Applications. Our Green World Alliance program offers hassle-free toner cartridge recycling.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	2400 x 2400 DPI
Print speed (black, normal quality, A4/US Letter)	40 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	40 ppm
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	18 ppm
Warm-up time	90 s
Time to first page (black, normal)	5.8 s
N-in-1 print function	Yes
Watermark printing	Yes
Secure printing	Yes
Booklet printing function	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maximum copy size	A4
Duplex copy speed (black, US Letter)	17 ppm
Time to first copy (black, normal)	5.3 s
Maximum number of copies	9999 copies
Copier resize	-25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed & ADF scanner
Optical scanning resolution (black)	600 x 600 ppi
Optical scanning resolution (colour)	600 x 600 ppi
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	E-mail, FTP, File, Network folder, USB
Image formats supported	GIF, TIFF, JPG
Document formats supported	PDF
Input colour depth	24 bit
Output colour depth	24 bit
Scan drivers	ICA, TWAIN, WIA

Fax

Faxing	Colour faxing
Duplex faxing	Yes
Fax resolution (black)	600 x 600 DPI
Fax resolution (colour)	600 x 600 DPI
Modem speed	33.6 Kbit/s
Fax memory	6 MB
Auto-redialing	Yes
Fax forwarding to	E-mail, FTP, Fax
Fax delayed sending	Yes
Auto reduction	Yes
Fax coding methods	JBIG, JPEG, MH, MMR, MR

Features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum duty cycle	80000 pages per month
Duplex functions	Copy, Print, Scan
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	0 - 6000 pages per month
Page description languages	PCL 5, PCL 6, PostScript 3
Printer fonts	Bitmap, PCL, PostScript, Scalable
Number of PCL fonts	6
Number of PostScript fonts	158
Number of bitmap fonts	2
Number of scalable fonts	89
Input & output capacity	
Total number of input trays	2
Total input capacity	350 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Plain paper, Pre-printed, Recycled paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
Non-ISO print media sizes	Folio, Legal, Oficio, Statement
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5
Custom media width	99 - 216 mm
Custom media length	148 - 360 mm
Paper tray media weight	60 - 120 g/m²
Multi-Purpose Tray media weight	60 - 217 g/m²
Auto Document Feeder (ADF) media weight	60 - 90 g/m²

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Duplex media weight	60 - 90 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB connector	USB Type-A / USB Type-B
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	EAP-MD5, EAP-TLS, EAP-TTLS, LEAP, PEAP, WEP, WMM, WPA, WPA-TKIP, WPA2, WPA2-Enterprise
Embedded web server	Yes
IP address filtering	Yes
Mobile printing technologies	Apple AirPrint, Mopria Print Service
Performance	
Internal memory	512 MB
Built-in processor	Yes
Processor frequency	1000 MHz
Processor cores	2
Sound pressure level (printing)	67.1 dB
Sound power level (printing)	67.1 dB
Sound power level (standby)	3.1 dB
Design	
Product colour	Blue, White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	7.11 cm (2.8")
Control type	Touch
Colour display	Yes
Power	
Power consumption (max)	580 W
Power consumption (printing)	360 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Power consumption (standby)	7.5 W
Power consumption (sleep)	1.1 W
Power consumption (off)	0.1 W
AC input voltage	220 - 240 V
AC input frequency	47-63 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019
Operational conditions	
Operating relative humidity (H-H)	8 - 80%
Storage temperature (T-T)	-40 - 40 °C
Operating temperature (T-T)	10 - 32.2 °C
Storage relative humidity (H-H)	8 - 80%
Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT
Weight & dimensions	
Width	411 mm
Depth	266 mm
Height	339 mm
Weight	12.8 kg
Packaging data	
Package width	420 mm
Package depth	470 mm
Package height	390 mm
Package weight	14.7 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	2500 pages
Cables included	AC
Drivers included	Yes
Power cord included	Yes
Quick installation guide	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Logistics data	
Export Control Classification Number (ECCN)	EAR99
Harmonized System (HS) code	84433100
Other features	
Web-based management	Yes
Maximum scan area (ADF)	216 x 356 mm
Supported network protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP
Software CD	Yes
Documentation CD	Yes
Technical details	
Box contents	- Pre-installed Starter Cartridge (B310/B315: 2500 pages4; B305: 1500 pages) - Software and Documentation CD (with User Manual, Quick Install Guide, Safety, Regulatory, Recycling and Print Drivers, and Warranty Statement) - Installation Guide Product Safety Sheet - Quick Use Guide - Power Cord
Matmenys ir svoris	
Svoris	14,54kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Saugos duomenų lapas
- Vaizdo įrašas 1 objects.icecat.biz/objects/96641455_63258918.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/96641455_63258924.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/96641455_63258903.mp4
- Vaizdo įrašas 4 youtube.com/watch?v=2dDJ9L3JFXI
- Vaizdo įrašas 5 youtube.com/watch?v=RSlTnifydGo
- Vaizdo įrašas 6 youtube.com/watch?v=YMrok8kS-l4

Gamintojo ir saugos informacija

GAMINTOJAS

Xerox

ATSAKINGAS ASMUO ES

Xerox
Lautruphøj 45660, 2750 Ballerup, DK
xerox.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Saugos duomenų lapas