



I/O HUB USB-C 5IN1/0.15M HMC-5H60 AXAGON



Modelis: HMC-5H60

Gamintojas: AXAGON

EAN: 8595247908049

Prekės kodas: 567975

34.99€

The multi-port USB-C 5Gbps AXAGON HMC-5H60 5in1 hub expands your laptop, computer or phone with five ports. Via the double-sided USB-C connector, you can quickly and easily connect a monitor and three USB devices to the computer at the same time. You also get the possibility to supply laptop using Power Delivery technology at the same time. The port replicator will thus provide you with a simple and compact 5in1 docking station for modern laptops.

The USB hub offers three USB 5Gbps outputs, two with standard USB-A and a third with USB-C data connector. Transfer rate up to 5Gb/s thanks to the fast USB 3.2 Gen 1 interface. The hub can permanently connect several external drives simultaneously and also allows charging of phones and tablets with up to 1.5A/5V current. From the hub, you can easily charge e.g. Android smartphone, Apple iPhone, Apple iPad etc.

Another USB-C (PD) connector is reserved only for charging phones or laptops using Power Delivery

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

3.0 technology with up to 100W of power. Connect a suitable USB-C Power Delivery charger into the hub and connect the hub to a laptop that supports Power Delivery. This saves one USB-C port.

HDMI output provides high quality image up to 4K/60Hz Ultra HD resolution and supports multi-channel audio transmission. High frequencies at popular gaming resolutions of 2K/120Hz or FullHD/240Hz are also supported. Thanks to HDR (high dynamic range) support, you can enjoy a significantly expanded range of colours and contrasts. For video outputs to work properly, the laptop must have a USB-C port with DisplayPort Alternate Mode (DP Alt Mode) support or a Thunderbolt 3, 4 port and above.

The compact and slim aluminium body not only looks great, but also provides mechanical durability and passive cooling. You will also be pleased with the finely textured surface, which does not leave fingerprints.

USB-C hub is an ideal accessory for laptops without USB-A connectors and video output. You can use your current USB peripherals without having to purchase new ones. Thanks to the Plug and Play and Hot Plug functions, connecting the hub itself is very simple without complicated installation, and peripherals can also be easily connected and disconnected while the computer is running. The hub does not afraid of connection to phones with a USB-C connector. For example, you can connect a flash drive, keyboard, mouse, display, TV or projector to the phone.

Input (connection to laptop):

- USB 5Gbps (USB 3.2 Gen 1 / USB 3.0), USB-C male connector.
- Compatible with USB 3.2 Gen 2, USB4 and Thunderbolt 3/4.

Input (power supply):

- USB Power Delivery 3.0 - 100W port, USB-C female connector.
- Charging of the notebook from the power adapter via USB-C hub.
- PD power must be supported by both the laptop (phone) and the wall charger.

USB outputs:

- 2x USB 5Gbps port, USB-A female connector.
- 1x USB 5Gbps port, USB-C female connector.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- USB-C hub can handle the connection of several external drives at the same time.
- Charging of mobile devices (including iPad) with a current of up to 1.5A/5V from the hub's USB-A and USB-C ports.

Video output:

- 1x HDMI A port, HDMI A female connector.
- 4K resolution 4096 x 2160 at up to 60Hz.
- 2K / WQHD resolution 2560 x 1440 at up to 120Hz.
- FHD resolution 1920 x 1080 at up to 240Hz.
- Support for the above max. supported resolutions and frequencies requires connection to a computer with DisplayPort version 1.4.
- For the video output function, the hub must be connected to a USB-C port supporting DisplayPort Alternate Mode (DP Alt Mode) or to a USB-C port supporting Thunderbolt 3/4. A suitable OS is also required. The video output function will not be available without these requirements.
- HDR support (High dynamic range, 10-bit support) - realistic reproduction of light and dark details.
- HPD (Hot-Plug-Detect) support.
- TMDS (Transition Minimized Differential Signalling) support.
- Full support for HDCP 1.4 and 2.2 (High-bandwidth Digital Content Protection).
- Support for up to 2-channel LPCM audio.
- Support for 2-channel audio sampling rate up to 192 kHz and up to 24-bit audio - depends on source and end device, i.e. laptop/phone and TV/monitor/AV receiver.

Other features:

- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- Sleep mode support.
- Power via USB bus - USB bus power or from PD wall charger.
- Heavy-duty aluminium body for better hub cooling.
- The LED indicates with constant light the hub connection to the computer.
- The high quality shielded cable ensures high communication speed and minimal undesirable interference.
- Dimensions 110 x 32 x 11 mm.
- Weight 52 g (incl. cable).

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- USB cable length 15 cm.

Supported operating systems:

- Microsoft Windows 10 / 11, macOS, iPadOS, iOS, Linux, Chrome OS and Android.
- Compatibility depends on the operating system and device manufacturer support.
- DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated OS and also depends on support from device (notebook, phone) manufacturer.
- Graphics card drivers may also affect the correct operation of the product. We recommend downloading the latest version of drivers.

Package contains:

- USB-C hub with fixed 15 cm long cable,
- multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / SK / SWE / TR / UA / BG / CN / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon HMC-5H60 USB 5Gbps hub, 2x USB-A, 1x USB-C, HDMI 4k/60Hz, PD 100W, USB-C cable. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Product colour: Grey, Data transfer rate: 5 Gbit/s, HD type: 4K Ultra HD. Power source type: USB, Power connector: USB Type-C, Output voltage: 20 V. Width: 110 mm, Depth: 32 mm, Height: 11 mm. Quantity per pack: 1 pc(s), Package width: 94 mm, Package depth: 20 mm | Vendor Homepage: <https://www.axagon.eu/en/produkty/hmc-5h60> | Combo headphone/mic port: No | Connectivity technology: Wired | DC-in jack: No | HDCP: Yes | HDCP version: 1.4/2.2 | HDMI ports quantity: 1 | Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Microphone in: No | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 2 | USB Power Delivery (USB PD): Yes | USB Power Delivery revision: 3.0 | USB Power Delivery up to: 100 | USB Type-C DisplayPort Alternate Mode: Yes | Ethernet LAN: No | Brand compatibility: Universal | Card reader integrated: No | Certification: CE, RoHS | Charging function: Yes | Country of origin: China | Data transfer rate: 5 | HD type: 4K Ultra HD | High Dynamic Range (HDR) supported: Yes | Hot-Plug support: Yes | Housing material: Aluminium | Hub interfaces: HDMI/USB 3.2 Gen 1 (3.1 Gen 1) Type-A/USB 3.2 Gen 1 (3.1 Gen 1) Type-C | LED indicators: Yes | Maximum digital resolution: 4096 x 2160 | Maximum refresh rate: 240 | Plug and Play: Yes | Product colour: Grey | Built-in microphone: No | Built-in speaker(s): No | Built-in fan: No | Output current: 5 | Output voltage: 20 | Power connector: USB Type-C | Power source type: USB | USB cable length: 0.15 | Wireless charging: No |

Linux operating systems supported: Yes | Mac operating systems supported: Yes | Mobile operating systems supported: Yes | Other operating systems supported: Yes | Server operating systems supported: Yes | Windows operating systems supported: Yes | Depth: 32 | Height: 11 | Weight: 52 | Width: 110 | Package depth: 20 | Package height: 173 | Package weight: 86 | Package width: 94 | Quantity per pack: 1 | Cables included: USB Type-C | Manual: Yes | Compliance certificates: CE/RoHS | Warranty period: 2 | Model: HMC-5H60 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0003705 | Unit Calculated Weight: 0.08