

Lindy DST-Micro, USB-C Laptop Micro Docking Station with 4K Support and 100W Pass-Through Charging

Gamintojas: **LINDY** · Modelis: **43336** · EAN: **4002888433365** · Prekės kodas: **567980**



42,89 €

Kaina su PVM

Be PVM: **35,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Adds an HDMI port, a USB Type A port and a Type C power supply port to your computer
- ✓ Supports HDMI resolutions up to 4K 3840x2160@60Hz
- ✓ Supports USB 3.2 / 3.1 Gen 1 / USB 3.0 standard (5Gbps)
- ✓ Supports Power Delivery 3.0 up to 100W
- ✓ 2 year warranty



Aprašymas

The DST-Micro is a lightweight travel docking station, unlocking greater connectivity for your device, on the go. Part of Lindy's expert range of Laptop Docking Stations, this product has been designed to make travelling with your tech easy and stress-free.

Portability

As laptops become slimmer with smaller form factors, key ports such as HDMI and USB Type A, are increasingly hard to come by. However, if you travel with your tech, a full-sized USB Hub or Docking Station isn't always feasible and can add additional bulk and weight to your bag.

The DST-Micro provides the solution to this. With an incredibly small form factor and retractable USB-C connector, this pocket-sized dock allows you to expand your laptop's connectivity without adding additional bulk to your travel bag.

Approximately 75x38.5x8.5mm, this docking station can easily fit in a pocket, laptop bag or case.

Added Connectivity

This micro docking station delivers an HDMI port with support for 4K@60Hz as well as a SuperSpeed USB Type A port (5Gbps). There is also a USB-C charging port with pass-through charging up to 100W.

Plug-and-Play

This micro docking station does not require any driver installation. This allows for seamless large-scale implementation and a hassle-free experience.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+56][-85] Notebook Docks [+40][-70]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	60 W
HDCP	Yes
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	Yes
Performance	
Product colour	Black
Maximum digital resolution	3840 x 2160 pixels
Plug and Play	Yes
Housing material	Aluminium
Power	
Power source type	USB
Output voltage	20 V
Output current	3 A
Operational conditions	
Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 80 °C

Operating relative humidity (H-H)	5 - 90%
-----------------------------------	---------

Storage relative humidity (H-H)	5 - 90%
---------------------------------	---------

Weight & dimensions

Width	75 mm
-------	-------

Depth	38 mm
-------	-------

Height	8.5 mm
--------	--------

Weight	42 g
--------	------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package width	174 mm
---------------	--------

Package depth	194 mm
---------------	--------

Package weight	60 g
----------------	------

Packaging content

Manual	Yes
--------	-----

Technical details

Compliance certificates	CE, REACH, RoHS
-------------------------	-----------------

Matmenys ir svoris

Matmenys (I × P × A)	8,00cm × 4,00cm × 1,00cm
----------------------	--------------------------