Epson EB-PU1008B Large venue projector 8500 ANSI lumens 3LCD WUXGA (1920x1200) Black

Gamintojas: **EPSON** · Modelis: **V11HA33840** · EAN: **8715946697277** · Prekės kodas: **568287**

8 705,90 €

Kaina su PVM

Be PVM: **7 194,96 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Presentation Large venue projector Black
- ✓ 3LCD 8500 ANSI lumens
- ✓ Laser 20000 h
- ✓ WUXGA (1920x1200) 16:10 2000:1
- ✓ Number of colours: 1.07 billion colours
- ✓ Ethernet LAN
- ✓ AC 535 W

Aprašymas

The EB-PU1008B is a compact and versatile high brightness projector with optional interchangeable lenses and advanced installation features

This highly versatile 8,500 lumens installation projector is sold as 'body only' and pairs seamlessly with Epson’s existing lens family to deliver bright, true-to-life images in a wide variety of environments: from visitor attractions to lecture theatres, museums to meeting rooms. The high lumens EB-PU1008B offers WUXGA resolution with 4K enhancement, HDR and advanced installation features.

Superior image quality

The 8,500 lumens EB-PU1008B projects clear whites, vivid details, deep blacks, defined shadows and high contrast imagery.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Compact and lightweight

The compact size makes this projector more transportable and saves storage space, providing size and cost advantages to projector fleets. The unobtrusive design allows it to blend seamlessly into most environments. Also available in white.

Interchangeable lens support

The EB-PU1008B accommodates different lenses to suit a wide range of projection environments, including a zero-offset ultra-short-throw lens. Epson supplies the projector as ‘body only’, without a lens, which puts the power to build the right projection solution, for the right application, in the hands of the user.

Designed for installation agility

Produce large-scale, extremely bright displays, even as part of multi-projector installations where edge blending, stacking and lens flexibility is key. Epson Projector Professional Tool makes advanced installation techniques easy, such as projection mapping, while the optional external camera module (ELPEC01) uses built-in processing for PC-free geometry correction for stacking. The EB-PU1008B also features NFC for multi-projector set up, making diagnostics and installations easier using the Epson Projector Config Tool.

Techninė specifikacija

Specifications	
Sandėlio grupė	Unterhaltungselektronik > Projektoren/Beamer [+329][-287]
Projector	
Projector brightness	8500 ANSI lumens
Projection technology	3LCD
Projector native resolution	WUXGA (1920x1200)
Contrast ratio (typical)	2000:1
Native aspect ratio	16:10
Number of colours	1.07 billion colours
Projector brightness (economic mode)	5950 ANSI lumens
Projector brightness (portrait mode)	8500 ANSI lumens
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-45 - 45°
Matrix size	1.93 cm (0.76")
Heat dissipation	1819 BTU/h
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focal length range	varies by lens

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Zoom type	Auto
Throw ratio	0.35 - 10.11:1
Interchangeable lens	Yes
Video	
Analog signal format system	Not supported
Full HD	Yes
3D	No
Video processing	10 bit
Video colour modes	Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709
Ports & interfaces	
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
DVI port	Yes
Audio (L/R) in	1
Serial interface type	RS-232C
HDBaseT port	Yes
USB 2.0 ports quantity	2
USB 2.0 Type-B ports quantity	1
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Storage	
Card reader integrated	No
Features	
Noise level	35 dB
Noise level (economic mode)	30 dB
HDCP	Yes
Country of origin	Philippines
Password protection	Yes
Design	
Product type	Large venue projector
Market positioning	Presentation
Product colour	Black
Placement	Ceiling, Desktop, Flying frame

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	535 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	452 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Software	
Software support	via: Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Weight	16.3 kg
Width	545 mm
Depth	436 mm
Height	189 mm
Package width	570 mm
Package depth	760 mm
Package height	270 mm
Package weight	21.4 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC
Manual	Yes
Warranty card	Yes
WLAN adapter included	Yes
Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Content Manager, Epson Projektor Management, Epson Projektor Professional Tool

Logistics data	
Quantity per pack	1 pc(s)
Products per pallet	14 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	14 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200
Other features	
Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903