



UPS EATON 420 Watts 700 VA Offline Phase 1phase 3P700D



Modelis: 3P700D

Gamintojas: EATON

EAN: 3553340621284

Prekės kodas: 568990

159.99€

The 3P Ellipse UPS is Eaton's latest addition to its power protection solution portfolio. Sleek, attractively designed, and silent in operation, this compact UPS offers an exceptional user experience for backup power in both residential and small business settings.

Power up with confidence

Enjoy up to 12% more power than the previous Ellipse ECO models and a typical runtime of 15 to 20 minutes, ensuring you can handle disruptions smoothly.

Save yourself the hassle and the need for additional adapters by plugging your equipment directly into the UPS using FR, DIN/IT, and IEC outlet options. This unique feature in a predominantly IEC-only market ensures convenience.

Operate any device with confidence, thanks to the built-in surge protection that meets the high-level IEC 61643-11 standards.

Designed for your space

Complement any interior with 3P's contemporary good looks that also come with versatile usability. Flexible, multi-position design allows the UPS to fit seamlessly into any environment—horizontally, vertically, as well as rack or wall-mounted (with optional kits).

Charge mobile devices whenever you need to using 3P's choice of USB-A and USB-C charging ports.

Watch, listen or work without distraction.

Enjoy a silent user experience in both residential and business settings thanks to 3P's discreet, no-fan engineering.

Control at your fingertips

Access status and notifications in real time via mobile app or web browser with an optional CLOUDPS card. With remote now the 'new normal' for many small businesses, cloud connectivity brings added control and peace of mind from any location.

- Power up with confidence
- Designed for your space
- Control at your fingertips

Summary: Eaton 3P Ellipse. UPS topology: Standby (Offline), Output power capacity: 0.7 kVA, Output power: 420 W. AC outlet types: C14 coupler, AC outlets quantity: 4 AC outlet(s). Battery capacity: 7 Ah, Battery voltage: 12 V. Form factor: Tower, Product colour: Black, Display type: LED. Compliance certificates: CB, CE, RoHS, WEEE, Certification: IEC/EN 62040-1 IEC/EN 62040-2 IEC/EN 62040-3 CE UKCA Cm | Vendor Homepage: <https://www.eaton.com> | Efficiency: 97 | Efficiency (ECO mode): 97 | Input frequency: 46/70 | Input operation voltage (max): 284 | Input operation voltage (min): 161 | Noise level: 25 | Number of input phases: 1 | Number of output phases: 1 | Output frequency: 50/60 | Output operation voltage (max): 284 | Output operation voltage (min): 161 | Output power: 420 | Output power capacity: 0.7 | Output power factor: 0.6 | Surge protection: Yes | UPS topology: Standby (Offline) | Waveform: Stepwise | AC outlet types: C14 coupler | AC outlets quantity: 4 | Battery capacity: 7 | Battery voltage: 12 | Display type: LED | Form factor: Tower | Product colour:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Black | Operating altitude: 0 - 3000 | Operating relative humidity (H-H): 0 - 95 | Operating temperature (T-T): 0 - 40 | Certification: IEC/EN 62040-1 IEC/EN 62040-2 IEC/EN 62040-3 CE UKCA Cm | Compliance certificates: CB/CE/RoHS/WEEE | Rack mount kit: No | Waste Electrical and Electronic Equipment (WEEE) compliance: Yes | Depth: 235 | Height: 263 | Weight: 3700 | Width: 81 | Model: 3P700D | Units per Pallet: 0 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.01277 | Unit Calculated Weight: 4.32