

CLUB3D 8-1 Portable Dock USB Type-C® 10Gbps to HDMI™ and DisplayPort™ 8K30Hz PD Max.100Watt

Gamintojas: CLUB 3D · Modelis: CSV-2551 · EAN: 8719214473488 · Prekės kodas: 569133



98,91 €

Kaina su PVM

Be PVM: 81,74 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support DP1.4 Alt mode
- ✓ Support 2x 4K/30Hz simultaneously
- ✓ Support 8/10/12bpc color depth output
- ✓ Support HDCP 2.2&HDCP1.4
- ✓ 1x USB Type-C® data port and 2x USB Type-A 2 support max 10Gbps data transmission
- ✓ USB Type-A data port and 1 USB Type-A port support max 7.5W(5V@1.5A) downstream charging per port
- ✓ Ethernet Support 10M/100M/1000M bandwidth
- ✓ SD/TF card slots support to transmission data with max 104MBps, allow SD/Micro SD to work simultaneously
- ✓ Support Fast Role Swap of PD 3.0, the connected device will not get disconnected while plugging out PD Adapter
- ✓ 2x USB Type-A port share max 9W(5V/1.8A)



Aprašymas

- 8-PORT USB Type-C®: Expand the connectivity of a USB Type-C® computer by adding three USB 10Gbps Ports (2x USB Type-A, 1x Type-C®) a Power Delivery 3.0 USB Type-C® Port Max. 100Watt.
- 1 GBASE-T GIGABIT ETHERNET: Features a 1Gb network controller that delivers speeds of 10/100/1000Mbps; For laptops / devices without

a USB Type-A or Ethernet, such as MacBook /iPad Air / Pro; USB Type-C® connectivity while providing power for PD3.0 charging.

- RELIABLE PERFORMANCE: USB bus powered or via external USB Type-C® power adapter; 100W Power Delivery 3.0 pass through with 15W dedicated to the functioning of this product,

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook > Dockingstations/Hubs [+946][-422]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB Type-C
HDMI ports quantity	1
Microphone in	No
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
HDCP version	1.4/2.2
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Black
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Power	
Power source type	USB
Power connector	USB Type-C

USB cable length	0.17 m
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Weight	107 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	60 mm
Package depth	240 mm
Package height	35 mm
Package weight	137 g
Packaging composition	
Plastic packaging weight	2 g
Paper/cardboard packaging weight	28 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g
Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Logistics data	
Harmonized System (HS) code	84733020
Matmenys ir svoris	
Matmenys (I × P × A)	6,00cm × 4,00cm × 27,00cm