

Dahua Technology SG4020LP network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black

Gamintojas: **DAHUA** · Modelis: **SG4020LP** · EAN: **6939554904592** · Prekės kodas: **569261**



173,90 €

Kaina su PVM

Be PVM: **143,72 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Managed L2 Web-based management
- ✓ Basic switching RJ-45 Ethernet ports quantity: 2
- ✓ MAC address table: 8000 entries Switching capacity: 40 Gbit/s
- ✓ AC Power supply included Power over Ethernet (PoE)



Aprašymas

SG4020LP

20-Port Cloud Managed Desktop Gigabit Switch with 16-Port PoE

Techninė specifikacija

Specifications

Sandėlio grupė

Switches [+118][-177]

Management features

Switch type	Managed
Switch layer	L2
Web-based management	Yes
Cloud-managed	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	2
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	2
Network	
Networking standards	IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3ad, IEEE 802.3z
Flow control support	Yes
Link aggregation	Yes
Broadcast storm control	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
VLAN support	Yes
Virtual LAN features	Port-based VLAN
Number of VLANs	32
Data transmission	
MAC address table	8000 entries
Switching capacity	40 Gbit/s
Forwarding rate	29.76 Mpps
Jumbo frames support	Yes
Jumbo frames	15
Packet buffer memory	4 MB
Security	
DHCP features	DHCP client
Loop protection	Yes
IP-MAC-Port binding	Yes
Design	
Product colour	Black
Housing material	Metal
Performance	
Mean time between failures (MTBF)	762116 h

Power

Power source	AC
Power supply included	Yes
AC input voltage	100 - 240 V
AC input frequency	47/63 Hz
Input current	4 A
Power consumption (max)	212 W
Power protection features	Over voltage, Over current

Power over Ethernet (PoE)

Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	14
Power over Ethernet (PoE) power per port	30 W
Total Power over Ethernet (PoE) budget	190 W

Operational conditions

Operating temperature (T-T)	-10 - 55 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	440 mm
Depth	220 mm
Height	44 mm
Weight	2.32 kg

Packaging content

Cables included	DC
Quick start guide	Yes

Packaging data

Package width	540 mm
Package depth	342 mm
Package height	90 mm
Package weight	2.97 kg

Certificates

Compliance certificates	CE
-------------------------	----

Matmenys ir svoris

Matmenys (I × P × A)

54,00cm × 34,00cm × 9,00cm