

Jabra PanaCast 55 VBS video conferencing system Ethernet LAN Group video conferencing system

Gamintojas: **GN AUDIO** · Modelis: **8900-231** · EAN: **5706991035162** · Prekės kodas: **569428**



3 268,90 €

Kaina su PVM

Be PVM: **2 701,57 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Group video conferencing system
- ✓ Bluetooth
- ✓ 4K Ultra HD 3840 x 2160 pixels
- ✓ Built-in speaker(s) 80 - 20000 Hz RMS rated power: 20 W
- ✓ Ethernet LAN Wi-Fi
- ✓ 6x
- ✓ Black



Aprašymas

All-in-one video conferencing solution with optional expansion audio

Why you'll love Jabra PanaCast 55 VBS

Maximize your meeting space

A 180° field of view and 4K panoramic video ensure everyone is seen, even close to the screen or against the wall.

Outstanding audio quality

An array of 8 beamforming, noise-cancelling microphones and 4 powerful speakers delivers clear, room-filling sound.

Audio flexes with your needs

Add the PanaCast SpeakerMic to extend audio to the back of the room, with seamless sound mixing and flexible mounting options.

Natural, AI-powered meeting experiences

Dynamic Composition, Virtual Director, Intelligent Zoom, and Intelligent Meeting Space keep participants in frame and focused.

Quick, scalable installation

From box to meeting in minutes with in-box provisioning, multiple mounting options, and support for permanent BYOD mode.

Secure and easy to manage

Built on MDEP for secure, future-ready performance, and designed to work seamlessly with Microsoft Teams and Zoom.

Techninė specifikacija

Specifications	
Sandėlio grupė	Network > Videoconferencing [+175][-419]
Performance	
Product type	Group video conferencing system
Product colour	Black
Number of cameras	3
Bluetooth	Yes
Bluetooth version	5.1
Proximity sensor	Yes
Temperature sensor	Yes
Humidity sensor	Yes
AirPlay	Yes
Wall mountable	Yes
PTZ control	Yes
Video	
HD type	4K Ultra HD
Maximum video resolution	3840 x 2160 pixels
Audio	
Built-in speaker(s)	Yes
Number of speakers	4
Tweeter	Yes
Number of tweeter drivers	2
Tweeter diameter	2 cm
Woofers	Yes
Number of woofer drivers	2

Woofer diameter	5 cm
Frequency range	80 - 20000 Hz
Audio beamforming	Yes
Noise reduction	Yes
Echo cancellation	Yes
RMS rated power	20 W
Ports & interfaces	
HDMI ports quantity	2
USB connector type	USB Type-A, USB Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
Ethernet LAN (RJ-45) ports	1
Power over Ethernet (PoE) ports quantity	1
AUX out	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Networking standards	IEEE 802.3af
Supported network protocols	IPv4, IPv6
Auto MDIX IEEE	Yes
DHCP client	Yes
Static IP	Yes
Web-based management	Yes
Camera	
Digital zoom	6x
Camera resolution	3840 x 1080 pixels
Horizontal field of view	180°
Vertical field of view	54°
Camera privacy shutter	Yes
Display	
Built-in display	Yes
Display diagonal	25.6 cm (10.1")
Display resolution	1920 x 1200 pixels

Touchscreen	Yes
Microphone	
Microphone sensitivity	-37 dB
Microphone frequency	100 - 16000 Hz
Number of microphones	8
Features	
Telepresence	No
People counting	Yes
Cable lock slot	Yes
Cable management	Yes
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	15 - 80%
Storage temperature (T-T)	-20 - 60 °C
Maximum operating altitude	4876.8 m
Power	
AC input voltage	100 - 240 V
DC output voltage	12 V
DC output current	5 A
Weight & dimensions	
Monitor dimensions (WxDxH)	248 x 156 x 85 mm
Monitor weight	958 g
Width	730 mm
Depth	146 mm
Height	77 mm
Weight	2.26 kg
Packaging data	
Package width	1065 mm
Package depth	210 mm
Package height	175 mm
Package weight	5.76 kg
Packaging content	
Cables included	HDMI, AC
Wall mounting kit	Yes

AC adapter included	Yes
---------------------	-----

Matmenys ir svoris

Matmenys (l × P × A)	107,00cm × 21,00cm × 18,00cm
----------------------	------------------------------

Svoris	6,02kg
--------	--------