

DELL SE2225HM computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **DELL TECHNOLOGIES** · Modelis: **DELL-SE2225HM** · EAN: **5397184962534** · Prekės kodas: **569506**



102,90 €

Kaina su PVM

Be PVM: **85,04 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54.6cm (21.5") Full HD 1920 x 1080 Edge LED VA
- ✓ 8ms, 16:9, 250cd/m², 3000:1
- ✓ VGA, HDMI



Aprašymas

Breeze through everyday tasks on this 21.5-inch monitor with a smooth 100Hz refresh rate and certified by TÜV Rheinland® for 3-star eye comfort.

Techninė specifikacija

Specifications

Sandėlio grupė [TFT] FLAT PANEL DISPLAYS [+115][-370]

Display

Display diagonal 54.6 cm (21.5")

Display resolution 1920 x 1080 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	VA
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	3000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2493 x 0.241 mm
Pixel density	102 ppi
Horizontal scan range	30 - 82 kHz
Vertical scan range	50 - 76 Hz
Viewable size, horizontal	47.9 cm
Viewable size, vertical	26 cm
Digital horizontal frequency	30 - 111 kHz
Digital vertical frequency	50 - 100 Hz
Surface hardness	3H
NTSC coverage (typical)	72%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes

Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Front bezel colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	No
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDCP	Yes
HDCP version	1.4
Network	
Wi-Fi	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Pivot	No
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Yes
Power	

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	12 kWh
Power consumption (typical)	11.7 W
Power consumption (standby)	0.3 W
Power consumption (max)	20.7 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	492.9 mm
Depth (with stand)	211.8 mm
Height (with stand)	395.8 mm
Weight (with stand)	2.67 kg
Width (without stand)	492.9 mm
Depth (without stand)	44.9 mm
Height (without stand)	286.5 mm
Weight (without stand)	2.23 kg
Bezel width (side)	7.05 mm
Bezel width (top)	7.05 mm
Bezel width (bottom)	1.85 cm
Packaging data	
Package weight	4.38 kg
Packaging content	

Stand included	Yes
Cables included	AC, HDMI
Power adapter included	No
Remote control included	No
Stylus included	No
Quick start guide	Yes
HDMI cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	97.6
Carbon emissions, manufacturing (kg of CO2e)	57.78
Carbon emissions, logistics (kg of CO2e)	8.2
Carbon emissions, energy usage (kg of CO2e)	30.06
Carbon emissions, end-of-life (kg of CO2e)	1.46
PAIA version	GaBi version 1, 2024
Other features	
Ethernet LAN (RJ-45) ports	0
Matmenys ir svoris	
Matmenys (I × P × A)	57,00cm × 14,00cm × 35,00cm
Svoris	4,40kg