

Sharp E501U 5000 ANSI lumens 3LCD WUXGA (1920x1200) White

Gamintojas: **SHARP** · Modelis: **XPE501U** · EAN: **4550556180122** · Prekės kodas: **569792**



1 863,90 €

Kaina su PVM

Be PVM: **1 540,41 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Professional and Flexible Installation – versatile projection characteristics allow for simple positioning of the projector, making installation easy and potentially saving set up costs.
- ✓ Enjoy a Lower TCO – highest reliability, maintenance free operation, low power consumption and up to 20000 hours life; the Laser light source results in a significantly lower total cost of ownership.
- ✓ Risk Group 2 – because of the Risk Group 2 compliance, no prescribed safety precautions are necessary.
- ✓ Cost Saving Device Management – save effort whilst administrating all connected NEC devices from a centralised location by using the NaViSet Administrator 2 software tool.



Aprašymas

High Brightness, Low Cost

For outstanding projection performance at an impressively low total cost of ownership, the Sharp E501U appeals to cost-conscious users who demand professional reliability. Delivering 5,000 lumens of brightness and the vivid colour reproduction of 3LCD technology, this compact WUXGA laser projector packs a powerful punch while weighing just 5kg.

Designed for versatility, the E501U offers flexible installation options and a long operational life, making it a natural fit for classrooms, training facilities, and meeting rooms. Combining high performance, low maintenance, and exceptional value, it's the smart choice for any budget-aware installation.

Techninė specifikacija

Specifications	
Sandėlio grupė	Projector/Plasma > Projector Xga [+3][-28]
Projector	
Projector brightness	5000 ANSI lumens
Projection technology	3LCD
Projector native resolution	WUXGA (1920x1200)
Contrast ratio (typical)	5000000:1
Native aspect ratio	16:10
Screen size compatibility	762 - 7620 mm (30 - 300")
Supported aspect ratios	16:10
Projection distance	0.85 - 11 m
Light source	
Light source type	Laser
Service life of light source	20000 h
Lens system	
Focus	Manual
Focal length range	19.16 - 23.02 mm
Aperture range (F-F)	1.6 - 1.76
Zoom capability	Yes
Zoom ratio	1.2:1
Video	
Analog signal format system	NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM
Full HD	Yes
Ports & interfaces	
HDMI ports quantity	2
Audio (L/R) in	1
Serial interface type	RS-232
USB 2.0 Type-A ports quantity	1
USB 2.0 Type-B ports quantity	1
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Multimedia

Built-in speaker(s)	Yes
RMS rated power	1.6 W
Number of built-in speakers	1

Design

Product colour	White
----------------	-------

Power

Power source	AC
Power consumption (typical)	310 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	155 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	5 - 45 °C
Storage temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%

Weight & dimensions

Weight	5 kg
Width	390 mm
Depth	128 mm
Height	294 mm

Packaging content

Remote control included	Yes
-------------------------	-----

Matmenys ir svoris

Matmenys (I × P × A)	50,00cm × 44,00cm × 24,00cm
Svoris	7,22kg