

AOC G4 U27G4XM computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black, Red

Gamintojas: **AOC** · Modelis: **U27G4XM** · EAN: **4038986183123** · Prekės kodas: **570998**



379,90 € ~~459,90 €~~

Kaina su PVM

Be PVM: **313,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black, Red
- ✓ Height adjustment 13 cm
- ✓ HDMI HDMI version: 2.1 DisplayPorts quantity: 1 DisplayPort version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 160 Hz Response time: 1 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: Fast IPS
- ✓ Energy efficiency class (SDR): G CE
- ✓ Warranty period: 3 year(s)



Aprašymas

Elevate your play with the U27G4XM MiniLED dual gaming monitor

Step into next-gen gaming with the U27G4XM MiniLED. Combining 4K UHD clarity, 1 ms response time, and 160 Hz refresh rate, this monitor delivers lightning-fast performance and stunning visuals. Perfect for competitive and immersive play alike.

Techninė specifikacija

Specifications

Sandėlio grupė	Monitors [+281][-486]
Display	
Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	4K Ultra HD
Panel type	Fast IPS
Response time	1 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	160 Hz
Display number of colours	1.073 billion colours
LED backlight	Yes
Backlight type	Mini LED
Display brightness (typical)	450 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Contrast ratio (dynamic)	80000000:1
Dynamic contrast ratio marketing name	Mega DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	163 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 360 kHz
Digital vertical frequency	48 - 320 Hz
Display diagonal (metric)	68.58 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 1000
Colour gamut standard	Adobe RGB, DCI-P3, sRGB
sRGB coverage (typical)	151.8%
Adobe RGB coverage	96.5%

DCI-P3 coverage	98%
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Game mode	Yes
Design	
Market positioning	Gaming
Product colour	Black, Red
Frameless design	Yes
Front bezel colour	Black
Detachable stand	Yes
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
HDCP version	1.4/2.2
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°

Swivelling	Yes
Swivel angle range	28 - 28°
Tilt adjustment	Yes
Tilt angle range	-3 - 21°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	26 kWh
Energy consumption (HDR) per 1000 hours	40 kWh
Power consumption (typical)	45 W
Power consumption (standby)	0.3 W
Power consumption (off)	0.3 W
AC input voltage	120 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	614 mm
Depth (with stand)	240 mm
Height (with stand)	516.6 mm
Weight (with stand)	7.1 kg
Width (without stand)	614 mm
Depth (without stand)	59.4 mm
Height (without stand)	366.4 mm
Weight (without stand)	5.6 kg
Packaging data	
Package width	820 mm
Package depth	159 mm
Package height	481 mm
Package weight	10.3 kg
Packaging content	
Cables included	AC, HDMI, DisplayPort, USB

DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m
Other features	
Brand specific technologies	Crosshair
Low input lag	Yes
FPS counter	Yes
Dial point	Yes
Shadow control	Yes
Local dimming	Yes
Local dimming zones	1152
Bezel thickness type	Frameless
Warranty period	3 year(s)
Compliance certificates	CE
Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
Matmenys ir svoris	
Matmenys (I × P × A)	24,00cm × 61,00cm × 52,00cm
Svoris	10,65kg