

TP-Link 5G Outdoor Router Build-In 5G Modem 5G wireless router 2.5 Gigabit Ethernet White

Gamintojas: **TP-LINK** · Modelis: **NE200-Outdoor** · EAN: **1210002601559** · Prekės kodas: **572996**



350,90 €

Kaina su PVM

Be PVM: **290,00 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ White
- ✓ Ethernet WAN SIM card slot 3G/4G USB modem compatibility
- ✓ 2.5 Gigabit Ethernet
- ✓ Ethernet LAN (RJ-45) ports: 1



Aprašymas

Unrivaled 5G Speed: Experience blazing-fast download speeds up to 4.67 Gbps with 5G technology.

LTE-Advanced Cat19: Offers up to 1.6 Gbps mobile download speeds for unparalleled performance.

Durable outdoor enclosure: Robust outdoor connectivity and reliability with IP66 weatherproof protection and ±6kV lightning protection & ±15kV ESD protection.

2.5GE Port for Internet access: The 2.5GE port provides outstanding speed, ensuring an enhanced networking experience.

PoE Power Supply: Supports 802.3at and passive PoE, enabling easy deployment.

Multiple mounting installation: Install easily anywhere with pole, wall, or window mounting for flexible, convenient use.

Plug and Play: Plug in a SIM card to get instant internet access anywhere.

Techninė specifikacija

Specifications	
Sandėlio grupė	3G/4G/5G routers [+0][-0]
WAN connection	
Ethernet WAN	Yes
SIM card slot	Yes
3G/4G USB modem compatibility	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	2.5 Gigabit Ethernet
Ethernet LAN data rates	2500 Mbit/s
Dynamic DNS (DDNS)	Yes
VPN server	PPTP VPN, IPSec VPN, OpenVPN
Mobile network	
Mobile network generation	5G
3G standards	DC-HSPA+, HSPA, UMTS
4G standard	LTE-FDD
5G standard	NR
5G bands supported	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz
SIM card type	NanoSIM
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Firewall	Yes
Firewall security	DoS, IPv4 SPI Firewall, IPv6 Firewall, IP and MAC Address Binding
Protocols	
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Design	
Product colour	White
International Protection (IP) code	IP67

Certificates

Compliance certificates	CE, RoHS
-------------------------	----------

Packaging content

Cables included	AC, LAN (RJ-45)
Mounting kit	Yes
Quick installation guide	Yes

Antenna

Antenna design	Internal
----------------	----------

Power

Power source type	AC, PoE
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) voltage	57 V

Operational conditions

Operating temperature (T-T)	-30 - 50 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	183 mm
Depth	110 mm
Height	36 mm

Matmenys ir svoris

Matmenys (I × P × A)	12,00cm × 23,00cm × 20,00cm
Svoris	1,83kg