

iiyama G-MASTER GB3295QSU-B1 computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black

Gamintojas: IIYAMA · Modelis: GB3295QSU-B1 · EAN: 4948570127122 · Prekės kodas: 573239



317,90 €

Kaina su PVM

Be PVM: 262,73 €

[Sandėlyje](#)




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 80 cm (31.5") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-B HDMI HDMI version: 2.1 DisplayPorts quantity: 1 DisplayPort version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 240 Hz Response time (MPRT): 0.4 ms
- ✓ 2560 x 1440 pixels Quad HD Panel type: VA
- ✓ Energy efficiency class (SDR): G ErP CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

Upgrade your gaming experience with the G-Master Gold Phoenix GB3295QSU 32" QHD monitor, built for speed, clarity, and precision. Level-up to an ultra-smooth 240Hz refresh rate and lightning fast 0.4ms MPRT response time and enjoy a smooth and responsive gaming experience. The added AMD FreeSync Premium adaptive sync technology ensures tear-free, seamless motion during fast paced action with no visible distractions. The Fast VA panel delivers up to 400cd/m2 brightness with rich contrast, brining your worlds to life in incredible depth and detail. The included height adjustable stand allows for ergonomic adjustments to provide you with the most optimal viewing experience.

Techninė specifikacija

Specifications

Sandėlio grupė	LCD monitors [+0][-0]
----------------	-----------------------

Display

Display diagonal	80 cm (31.5")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Quad HD
Panel type	VA
Screen shape	Flat
Contrast ratio (typical)	4000:1
Maximum refresh rate	240 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	400 cd/m²
Response time (MPRT)	0.4 ms
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.272 x 0.272 mm
Horizontal scan range	30 - 357.6 kHz
Vertical scan range	48 - 240 Hz
Viewable size, horizontal	69.8 cm
Viewable size, vertical	39.3 cm
Display diagonal (metric)	80 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400
DDC/CI	Yes
Colour depth	10 bit

Performance

AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	10 W

Design

Market positioning	Gaming
Product colour	Black
Frameless design	Yes

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
Number of downstream ports	4
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	2
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm

Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Number of OSD languages	11
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	33.2 kWh
Energy consumption (HDR) per 1000 hours	53.2 kWh
Power consumption (typical)	48 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	33 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (with stand)	717 mm
Depth (with stand)	290 mm
Height (with stand)	609 mm
Weight (with stand)	8.4 kg
Height (without stand)	459 mm
Packaging data	
Package width	890 mm
Package depth	500 mm

Package height	130 mm
Package weight	12.2 kg
USB cable length	1.8 m
Packaging content	
Cables included	AC, USB, HDMI, DisplayPort
Quick start guide	Yes
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	ErP
Other features	
Packaging content	quick start guide, safety guide
Weight	8.4 kg
Width	717 mm
Depth	290 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (contrast, brightness, overdrive, HDR, adaptive sync, adv. contrast, night mode, blue light reducer, motion blur red., gamma), input select (auto, manual / HDMI1, HDMI2, DP), audio adjust (volume, mute), store user setting (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style colour, X-Res Technology, sharpness, HDMI range, direct drive mode, video mode adjust), language, setup menu (OSD horizontal position, OSD vertical position, OSD time, opening logo, power LED, DDCI/CI control, USB charge), setup menu (PIP/PBP, sub source, PiP position, PiP size, swap), display information, reset (reset all)
Control panel	Joystick, power / menu (center), up / signal select, down, left / i-Style colour, night mode, blue light reducer, right / volume
Matmenys ir svoris	
Matmenys (I × P × A)	87,00cm × 50,00cm × 13,00cm
Svoris	12,35kg