



Canon i-SENSYS MF752Cdw II Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Modelis: 7185C013

Gamintojas: CANON

EAN: 4549292250411

Prekės kodas: 573403

481.99€

Product colour: White | Processor frequency: 1200 MHz | AC input frequency: 50/60 Hz | AC input voltage: 220 - 240 V | Ethernet LAN data rates: 10,100,1000 Mbit/s | Weight: 23.3 kg | Greyscale levels: 256 | Operating temperature (T-T): 10 - 30 °C | Maximum copy resolution: 600 x 600 DPI | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Internal memory: 1024 MB | Mac operating systems supported: Mac OS X 10.7 Lion | Printing: Colour printing | Ethernet LAN: Yes | Scanning: Colour scanning | Mac operating systems supported: Mac OS X 10.5 Leopard | Duplex functions: Scan | Wi-Fi standards: 802.11b | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Recommended duty cycle: 750 - 4000 pages per month | Display: LCD | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Scan to: E-mail | Width: 425 mm | Scan to: FTP | Non-ISO print media sizes: Letter | Non-ISO print media sizes: Executive | Input colour depth: 24 bit | Modem speed: 33.6 Kbit/s | Wi-Fi standards: 802.11g | Power consumption (standby):

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

24 W | Print speed (black, normal quality, A4/US Letter): 33 ppm | Wi-Fi: Yes | Paper tray media types: Plain paper | Control type: Touch | Built-in display: Yes | Copier resize: 25 - 400% | Mac operating systems supported: Mac OS X 10.14 Mojave | Windows operating systems supported: Windows 10 | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.12 Sierra | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | USB port: Yes | Print technology: Laser | Time to first page (colour, normal): 7.1 s | Mac operating systems supported: Mac OS X 12.0 Monterey | Server operating systems supported: Windows Server 2012 | Auto document feeder (ADF) input capacity: 50 sheets | ID-card copy function: Yes | ISO A-series sizes (A0...A9): A5 | Sound power level (standby): 41 dB | USB 2.0 ports quantity: 1 | Duplex copying: Yes | Maximum input capacity: 850 sheets | Envelopes sizes: Monarch | Optical scanning resolution: 600 x 600 DPI | Maximum resolution: 1200 x 1200 DPI | ISO A-series sizes (A0...A9): A6 | Scan to: Cloud | Scan to: USB | Non-ISO print media sizes: Statement | Power consumption (max): 1380 W | Wi-Fi standards: Wi-Fi 4 (802.11n) | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Height: 430 mm | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 11 | ISO B-series sizes (B0...B9): B5 | Scan drivers: TWAIN | Maximum ISO A-series paper size: A4 | Scan drivers: ICA | Copying: Colour copying | Paper tray media types: Heavy paper | Depth: 461 mm | Scanner type: ADF scanner | Total input capacity: 250 sheets | Time to first page (black, normal): 7.1 s | Fax memory: 512 pages | Operating relative humidity (H-H): 20 - 80% | Maximum duty cycle: 50000 pages per month | Duplex scanning: Yes | Scan drivers: WIA | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Power consumption (printing): 700 W | Paper tray media weight: 60 - 200 g/m² | Output colour depth: 24 bit | Server operating systems supported: Windows Server 2019 | Power consumption (sleep): 1 W | Security algorithms: WPA-AES | Sound power level (printing): 65 dB | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Security algorithms: 64-bit WEP | Security algorithms: WPA2-AES | Security algorithms: 128-bit WEP | Security algorithms: WPA-TKIP | Security algorithms: WPA2-TKIP | Multi-Purpose tray input capacity: 50 sheets | Paper tray media types: Postcard | Paper tray media types: Recycled paper | Paper tray media types: Thin paper | Multi-Purpose tray: Yes | Maximum number of copies: 999 copies | Security algorithms: WPA2-PSK | Security algorithms: WPA-PSK | Faxing: No | Printing colours: Black, Cyan, Magenta, Yellow | Paper tray media types: Coated paper | Colour display: Yes | ISO A-series sizes (A0...A9): A4 | Speed dialling: Yes | Management protocols: SNMPv1, SNMPv3 (IPv4,IPv6) | Warm-up time: 14 s | Linux operating systems supported: Yes | Total number of input trays: 1 | Total output capacity: 150 sheets | Envelopes sizes: Com-10 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Envelopes sizes: DL | Envelopes sizes: C5