

Cudy UH606 laptop dock/port replicator Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Grey, Silver

Gamintojas: CUDY · Modelis: UH606 · EAN: 6971690794460 · Prekės kodas: 573405



20,90 €

Kaina su PVM

Be PVM: 17,27 €

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1x HDMI 2.0, 4K 60Hz, 2K 144Hz
- ✓ 1x Upstream PD USB-C Male (5 Gbps)
- ✓ 3x USB-A 3.2 Gen 1 (5 Gbps)
- ✓ 1x Gigabit Ethernet RJ45 Port
- ✓ 1x USB-C Receiving 100W PD
- ✓ Plug-and-Play on Windows, Mac, Linux



Aprašymas

Connect USB Peripherals at 5 Gbps

Connect your drives, mics, keyboard, and mouse to the USB ports to boost productivity.

One Connect for Power and Data

Get rid of cable clutter with PD passthrough. Plug in your USB-C adapter to the USB hub to enable charging. Do not add or remove the adapter when transmitting data.

Techninė specifikacija

Specifications

Sandėlio grupė	USB Hubs [+0][-0]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	1
Microphone in	No
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI version	2
DC-in jack	No
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	1000 Mbit/s
Performance	
Product colour	Grey, Silver
Card reader integrated	No
Data transfer rate	5 Gbit/s
Maximum refresh rate	240 Hz
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
Country of origin	China
Power	
Power source type	DC, USB
Power connector	USB Type-C
AC input voltage	5 - 20 V
Input current	0 - 5 A
Power consumption (max)	100 W
Power consumption (typical)	10 W
Power consumption (standby)	0.4 W
Power plug type	No plug
Power cable length	0.2 m
Wireless charging	No

Software

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Linux operating systems supported	Yes
Mobile operating systems supported	Android
Other operating systems supported	Android, ChromeOS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	113.1 mm
Depth	44.2 mm
Height	15.7 mm
Weight	78.2 g

Packaging data

Quantity per pack	1 pc(s)
Package width	88.5 mm
Package depth	163.5 mm
Package height	20 mm
Package weight	120.4 g

Packaging content

Quick start guide	Yes
-------------------	-----

Packaging composition

Paper packaging weight	120.4 g
------------------------	---------

Technical details

Warranty period	1 year(s)
-----------------	-----------

Logistics data

Products per shipping (inner) case	200 pc(s)
------------------------------------	-----------

Matmenys ir svoris

Matmenys (I × P × A)	2,00cm × 9,00cm × 19,00cm
----------------------	---------------------------

Svoris

0,12kg