



HP Smart Tank 675 All-in-One Thermal inkjet A4 4800 x 1200 DPI 12 ppm Wi- Fi

Modelis: 28C12A

Gamintojas: HEWLETT-PACKARD

EAN: 195908302667

Prekės kodas: 573427

212.98€

Recommended system requirements: Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. | Bundled software: HP Printer Software, available online | Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN 55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Operating temperature (T-T): 5 - 40 °C | Copier resize: 25 - 400% | Ethernet LAN: No | Custom media width: 88.9 - 215.9 mm | Package width: 484 mm | Package height: 410 mm | Product colour: Blue | Wi-Fi: Yes | AC input voltage: 100 - 240 V | Weight: 6.38 kg | Borderless printing media sizes: A4 | AC input frequency: 50/60 Hz | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Wi-Fi standards: 802.11g | Borderless printing media sizes: Letter | Built-in display: Yes | Height: 198.6 mm | Power consumption (off): 0.1 W | Display diagonal: 1.02 cm (0.4") |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Width: 427.5 mm | Package depth: 239 mm | USB 2.0 ports quantity: 2 | Storage temperature (T-T): -40 - 60 °C | Display: LCD | Mac operating systems supported: Mac OS X 13.0 Ventura | Wi-Fi standards: 802.11a | Wi-Fi standards: 802.11b | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 14.0 Sonoma | Windows operating systems supported: Windows 7 | Mac operating systems supported: MacOS | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Depth: 364 mm | Print technology: Thermal inkjet | Processor frequency: 800 MHz | Package weight: 9.2 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Operating relative humidity (H-H): 15 - 80% | Windows operating systems supported: Windows 11 | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Windows operating systems supported: Windows 10 | Cables included: AC | Maximum print size: 216 x 355.6 mm | Scan to: Software | Copy speed (black, normal quality, A4): 11 cpm | Faxing: No | Copying: Colour copying | Image formats supported: PNG | PictBridge: No | Printing: Colour printing | Custom media length: 127 - 355.6 mm | Internal memory: 128 MB | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Number of print cartridges: 4 | Image formats supported: BMP | USB port: Yes | Maximum scan area: 216 x 297 mm | Optical scanning resolution: 1200 x 1200 DPI | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Built-in processor: Yes | Copy speed (colour, normal quality, A4): 5 cpm | Page description languages: PCL 3 GUI | Sound power level (printing): 6.5 dB | Paper tray media weight: 60 - 250 g/m² | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Wi-Fi Direct: Yes | ISO A-series sizes (A0...A9): A4 | Duplex printing mode: Auto | Warranty card: Yes | Maximum copy resolution: 600 x 600 DPI | Total input capacity: 150 sheets | Print speed (black, draft quality, A4/US Letter): 22 ppm | Envelopes sizes: C6 | ISO A-series sizes (A0...A9): A5 | ISO C-series sizes (C0...C9): C5 | JIS B-series sizes (B0...B9): B5 | Envelopes sizes: DL | Greyscale levels: 256 | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | Typical electricity consumption (TEC) number: 0.30 kWh/Week | Photo paper sizes: 10x15 cm | Photo paper sizes (imperial): 8x10 | Duplex scanning: No | Envelope feeder: No | ISO C-series sizes (C0...C9): C6 | Maximum number of copies: 99 copies | Maximum internal memory: 128 MB | Maximum resolution: 4800 x 1200 DPI | Printing colours: Black, Cyan, Magenta, Yellow | Photo paper sizes (imperial): 5x7 | Maximum input capacity: 150 sheets | Maximum duty cycle: 3000 pages per month | Duplex functions: Print | Recommended duty cycle: 400 - 800 pages per month | Print resolution colour: 4800 x 1200 DPI | Recommended operating temperature range (T-T): 15 - 30 °C | Print speed (colour, normal quality, A4/US Letter): 7 ppm | Document formats supported: PDF | Power consumption (sleep): 2 W | Number of users: 3 user(s) | Envelopes sizes: C5 | Print speed (black, normal quality, A4/US Letter): 12 ppm | Photo paper sizes (imperial): 4x6 | Maximum number of input

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

trays: 1 | Colour display: Yes | Power supply type: Internal | Input colour depth: 24 bit | Photo paper sizes (imperial): 5x8" | Paper tray media types: Recycled paper | Print speed (ISO/IEC 24734) black: 12 ppm | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Paper tray media types: Plain paper | Duplex copying: Yes | Other operating systems supported: ChromeOS | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Time to first page (colour, normal): 18 s | Paper tray media types: Photo paper | Sustainability compliance: Yes | Duplex printing: Yes | Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP Planet Partners | Scan technology: CIS | Auto fit function: Yes | Print resolution black: 1200 x 1200 DPI | Number of print heads: 2 | Print speed (colour, draft quality, A4/US Letter): 21 ppm | Non-operating relative humidity (non-condensing): 5 - 90% | Control type: Buttons | UNSPSC-code: 43212104 | All-In-One-multitasking: Yes | Time to first page (black, normal): 15 s | Maximum ISO A-series paper size: A4 | Scan drivers: TWAIN | Maximum output capacity: 100 sheets | Non-ISO print media sizes: Legal | Total number of input trays: 1 | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Lightweight paper | Borderless printing: Yes | HP segment: Home | Carbon emissions, end-of-life (kg of CO2e): 0.6 | Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Print speed (ISO/IEC 24734) colour: 7 ppm | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Total carbon emissions, w/o use phase (kg of CO2e): 499 | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Carbon emissions, logistics (kg of CO2e): 50 | Warnings: Avoid contact with ink, may cause skin irritation. | Compliance certificates: CECP | Carbon emissions, manufacturing (kg of CO2e): 377 | Total carbon footprint (kg of CO2e): 14.8 | HP GTIN (EAN/UPC): 886111043361 | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429