



HP LaserJet Pro MFP 4102fdw Printer Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

Modelis: 2Z624F

Gamintojas: HEWLETT-PACKARD

EAN: 195161936289

Prekės kodas: 573431

452.99€

Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Certification: CISPR 32:2015 Class B / EN 55032:2015 Class B CISPR 35:2016 / EN 55035:2017 Class B EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B | Box contents: HP LaserJet Pro MFP 4102fdw Printer Preinstalled HP Black Original LaserJet Toner Cartridge (2,900 pages) Getting Started Guide Support Flyer Warranty Guide Regulatory Flyer Power cord USB cable | Replacement cartridges: HP 149A Black Original LaserJet Toner Cartridge (~2,900 pages), W1490A HP 149X Black Original LaserJet Toner Cartridge (~9,500 pages), W1490X | Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Chrome OS | USB 2.0 ports quantity: 1 | Windows operating systems supported: Windows 11 | Package weight: 15.5 kg | Operating temperature (T-T):

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

10 - 32.5 °C | Processor frequency: 1200 MHz | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11g | Cabling technology: 10/100/1000Base-T(X) | Weight: 12.6 kg | AC input voltage: 220 - 240 V | Package depth: 398 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Windows operating systems supported: Windows 10 | Cables included: AC | Storage temperature (T-T): -20 - 40 °C | Product colour: White | Power consumption (off): 0.06 W | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Package height: 490 mm | AC input frequency: 50/60 Hz | Built-in display: Yes | Bluetooth: Yes | Mac operating systems supported: Mac OS X 12.0 Monterey | Display: CGD | Mac operating systems supported: Mac OS X 13.0 Ventura | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: MacOS | Width: 420 mm | Package width: 497 mm | Wi-Fi: Yes | Display diagonal: 6.86 cm (2.7") | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Security algorithms: EAP-TLS | Security algorithms: WPA2 | Security algorithms: SSL/TLS | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Power consumption (PowerSave): 0.9 W | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Security algorithms: LEAP | Scan to: E-mail | Depth: 390 mm | Scan to: TWAIN | Scan to: WIA | Scan to: Software | Optical scanning resolution: 1200 x 1200 DPI | Copying: Mono copying | Maximum scan area: 216 x 297 mm | N-in-1 copy function (N=): 2 | Custom media length: 127 - 355.6 mm | Copy speed (black, normal quality, A4): 38 cpm | Copier resize: 25 - 400% | Height: 323 mm | USB port: Yes | Custom media width: 76.2 - 215.9 mm | Number of print cartridges: 1 | Internal memory: 512 MB | Print technology: Laser | Printing: Mono printing | Maximum print size: 207.4 x 347.1 mm | Auto document feeder (ADF) input capacity: 50 sheets | Faxing: Mono faxing | Built-in processor: Yes | HP Management tools: HP Printer Assistant HP SNMP Proxy HPWSProProxy Agent | Envelope feeder: No | Duplex print speed (black, normal quality, A4/US Letter): 34 ppm | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Paper tray media types: Plain paper | Fax polling: No | Paper tray media types: Labels | Paper tray media types: Recycled paper | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Sound pressure level (scanning): 48 dB | HP segment: Small medium business | Paper tray media types: Bond paper | Secure printing: Yes | Speed dialling: Yes | Photo paper sizes (imperial): 4x6 | Auto-redialing: Yes | Non-ISO print media sizes: Statement | Scan speed (colour): 20 ppm | ISO B-series sizes (B0...B9): B5 | Maximum copy resolution: 600 x 600 DPI | Duplex functions: Print | Sound pressure level (printing): 54 dB | Recommended duty cycle: 750 - 4000 pages per month | Colour display: Yes | Non-ISO print media sizes: Oficio | Maximum number of copies: 9999 copies | Auto reduction: Yes | Fax memory: 400 pages | Print speed (black, normal quality, A4/US Letter): 40 ppm | Fax delayed sending: No | Non-ISO print media sizes: 16K | Control

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

type: Touch | Non-ISO print media sizes: Hagaki card | Duplex printing mode: Auto | Warranty card: Yes | UNSPSC-code: 43212110 | Document formats supported: PDF | Maximum output capacity: 150 sheets | Duplex functions: Copy | Power consumption (ready): 7.5 W | Other operating systems supported: iOS | Mobile operating systems supported: Android | Photo paper sizes (imperial): 5x8" | Other operating systems supported: Android | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Print resolution black: 1200 x 1200 DPI | Maximum duty cycle: 80000 pages per month | ISO A-series sizes (A0...A9): A5 | Duplex scanning: Yes | Paper tray media weight: 60 - 200 g/m² | Page description languages: URF | Watermark printing: Yes | HP Auto-On/Auto-Off: Yes | Mobile printing technologies: Mopria Print Service | Power consumption (printing): 510 W | Paper tray media types: Letterhead | ISO A-series sizes (A0...A9): A4 | Other operating systems supported: ChromeOS | Sustainability compliance: Yes | Wi-Fi Direct: Yes | ID-card copy function: Yes | Paper tray media types: Lightweight paper | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Fax resolution (black): 300 x 300 DPI | Page description languages: PostScript 3 | Page description languages: PDF | Economical printing: Yes | ISO C-series sizes (C0...C9): C5 | Sustainable technologies and materials: Recyclable through HP Planet Partners Compatible with Accessibility Accessories Contains post-consumer recycled plastic | Greyscale levels: 256 | Page description languages: PCL 6 | Scan speed (black): 29 ppm | Page description languages: PCL 5e | Cartridge(s) included: Yes | All-In-One-multitasking: Yes | Paper tray 1 input capacity: 100 sheets | Recommended operating temperature range (T-T): 15 - 27 °C | Printer fonts: TrueType | Paper tray 2 input capacity: 250 sheets | N-in-1 print function: Yes | Fax forwarding: Yes | Duplex copying: Yes | Scan technology: CIS | Auto fit function: Yes | Fax speed dialing (max numbers): 200 | Total number of input trays: 2 | Duplex printing: Yes | Printer fonts: Scalable | Input colour depth: 24 bit | Maximum internal memory: 512 MB | Warm-up time: 45 s | Time to first copy (black, normal): 7.2 s | Acoustic power emissions (ready): Inaudible | Custom media sizes: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm | Mobile printing technologies: Apple AirPrint | HP Dynamic security: Yes | HP Web Jetadmin: Yes | Scan drivers: TWAIN | Power consumption (sleep): 0.9 W | Fax transmission speed: 6 sec/page | Scan drivers: WIA | N-in-1 copy function: Yes | Recommended humidity operating range: 30 - 70% | Page description languages: PWG | Maximum number of input trays: 3 | Envelopes sizes: C5 | Total input capacity: 350 sheets | Total output capacity: 150 sheets | Booklet printing function: Yes | Envelopes sizes: 10 | Printing colours: Black | Maximum ISO A-series paper size: A4 | Time to first page (black, normal): 6.3 s | Maximum input capacity: 900 sheets | Modem speed: 33.6 Kbit/s | HP JetAdvantage Secure Print: Yes | Maximum resolution: 1200 x 1200 DPI | Envelopes sizes: Monarch | Envelopes sizes: B5 | Envelopes sizes: DL | Included cartridge capacity (black): 2900 pages | Sound power level (printing): 6.7 dB | Power supply type: Internal (Built-in) power supply | HP

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Carbon emissions, manufacturing (kg of CO₂e): 377 | Total carbon footprint (kg of CO₂e): 14.8 | Compliance certificates: Federal Communications Commission (FCC) | Warnings: The product requires special disposal - do not dispose of in normal waste. | Total carbon emissions, w/o use phase (kg of CO₂e): 499 | HP GTIN (EAN/UPC): 886111043361 | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Carbon emissions, logistics (kg of CO₂e): 50 | Compliance certificates: EAC | Compliance certificates: BIS | Compliance certificates: CCC | Compliance certificates: CE | Compliance certificates: GS mark | Compliance certificates: BSMI | Warnings: Be careful when handling the device, it may contain live parts. | Carbon emissions, end-of-life (kg of CO₂e): 0.6