



GIGABYTE B850M AORUS ELITE WIFI6E ICE Motherboard- AMD Ryzen 9000 Series CPUs

Modelis: B850M AORUS ELITE WIFI6E ICE

Gamintojas: GIGABYTE

EAN: 4719331866082

Prekės kodas: 573489

215.99€

Bundled software: Norton Internet Security (OEM version) LAN bandwidth management software | Clear CMOS button: Yes | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Serial port headers: 1 | Batteries included: Yes | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Weight: 1.77 kg | Ethernet LAN: Yes | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Depth: 244 mm | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Clear CMOS jumper: Yes | Wi-Fi standards: 802.11b | Memory slots type: DIMM | Wi-Fi: Yes | RAID levels: 0 | Battery type: CR2032 | Ethernet interface type: 2.5 Gigabit Ethernet | Number of storage drives supported: 6 | Peripheral (Molex) power connectors (4-pin): 1 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Supported memory types: DDR5-SDRAM | Number of battery cells: 1 | Package width: 270 mm | PCI Express x16 (Gen 3.x) slots: 1 | RAID levels: 10 | HDMI version: 1.4 | RAID support: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | TPM connector: Yes | RAID levels: 1 | Number of M.2 (M) slots: 2 | BIOS type: UEFI AMI | Bluetooth version:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

isigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

5.3 | Number of memory slots: 4 | Package depth: 268 mm | Power source type: ATX | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 5 | Number of chassis fan connectors: 3 | Width: 244 mm | Number of HDDs supported: 4 | Processor manufacturer: AMD | Battery technology: Lithium-Manganese Dioxide (LiMnO₂) | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | Supported processor sockets: Socket AM5 | Compatible processor series: AMD Ryzen 7000 Series | Front panel connector: Yes | Package weight: 1.97 kg | Parallel processing technology support: Not supported | Compatible processor series: AMD Ryzen 8000 Series | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 1 | USB 2.0 ports quantity: 4 | Windows operating systems supported: Windows 10 x64 | HDMI ports quantity: 1 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | Headphone outputs: 1 | Windows operating systems supported: Windows 11 x64 | Height: 35 mm | Front panel audio connector: Yes | Package height: 68 mm | Screws included: Yes | Ethernet LAN (RJ-45) ports: 1 | On-board graphics card: No | Microphone in: Yes | Compatible processor series: AMD Ryzen 9000 Series | Processor socket: Socket AM5 | Supported memory clock speed (max): 8200 MHz | PCI Express x16 (Gen 5.x) slots: 1 | Antenna included: Yes | RGB LED pin header: Yes | Desktop Management Interface (DMI) version: 2.7 | WLAN controller model: Realtek RTL8852CE | Battery weight: 3 g | WiFi-AP antenna jack: 2 | 12V power connector: Yes | Number of SATA III connectors: 4 | Audio chip: Realtek ALC897 | Bluetooth: Yes | PC health monitoring: Voltage | PC health monitoring: Water cooling | Supported storage drive interfaces: M.2, SATA III | DisplayPort version: 1.4 | PC health monitoring: Fan | HDCP: Yes | Product colour: White | Motherboard chipset family: AMD | Supported memory clock speeds: 6600 | Maximum resolution: 3840 x 2160 pixels | Supported memory clock speeds: 6200 | Supported memory clock speeds: 7000 | Supported memory clock speeds: 8200 MHz | Supported memory clock speeds: 6400 | PC health monitoring: Temperature | Supported memory clock speeds: 4800 MHz | DisplayPorts quantity: 1 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | Supported memory clock speeds: 6800 | Supported memory clock speeds: 7400 | Supported memory clock speeds: 5600 | Supported memory clock speeds: 7200 | Supported memory clock speeds: 4400 | Supported memory clock speeds: 7950 | Supported memory clock speeds: 7900 | Supported memory clock speeds: 8000 | Audio output channels: 7.1 channels | Supported memory clock speeds: 6000 | Supported memory clock speeds: 7600 MHz | Supported memory clock speeds: 7800 | Maximum internal memory: 256 GB | Motherboard form factor: micro ATX | USB 2.0 connectors: 2 | Unbuffered memory: Yes | Supported memory clock speeds: 5200 | Supported memory clock speeds: 5800 | DirectX version: 12.0 | Motherboard chipset: AMD B850 | Supported storage drive types: HDD & SSD | ECC compatibility: Non-ECC | 1st M.2 largest key size: 25110 | USB 3.2 Gen 2x2 connectors: 1 | 2nd M.2 highest PCI Express generation: 4.0 | Number of CPU fan connectors: 2 | Number of water pump connectors: 2 | 1st M.2 highest PCI Express generation: 5.0 | Number of RGB LED pin headers:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

4 | Maximum internal memory per slot: 64 GB | Lithium weight per battery: 0.07 g | 2nd M.2 largest key size: 22110 | Number of EPS power connectors (8-pin): 1