



**SSD LEXAR
NQ790 4TB
Heatsink M.2
PCIe Gen4 NVMe
Write speed
6000 MBytes/sec
Read speed
7000 MBytes/sec
MTBF 150000
hours
LNQ790X004T-
RNNNG**

Modelis: LNQ790X004T-RNNNG

Gamintojas: LEXAR

EAN: 10843367132239

Prekės kodas: 57428

628.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

High Performance to Power Through Your Work

Built to help you power through your workday, the Lexar® NQ790 PCIe 4.0 SSD delivers the high performance you need. Read/write speeds up to 7000/6000MB/s ensure that it can keep up with your work pace while high-quality NAND delivers the reliability you expect from Lexar and a 5-year warranty offers further peace of mind.

Built to Perform. Enjoy an improved user experience thanks to the Lexar® NQ790 PCIe 4.0 SSD's PCIe 4.0 interface, NVMe protocol, and HMB and SLC cache technologies.

Speed Through Your Work. With sequential read/write speeds up to 7000/6000MB/s the drive is ready to conquer your workload and help you meet your deadlines.

High-Quality 3D NAND in High Capacities. Cutting-edge NAND flash delivers the reliability and endurance you depend on, in your choice of capacities.

Comes with Peace of Mind. Your drive is backed by 5-year warranty so you can purchase and deploy with confidence.

Intelligent Power Control. With good power management, you can intelligently control power consumption according to the load.

Rigorously Tested. All Lexar products undergo extensive testing in the Lexar Quality Labs, facilities with thousands of different cameras and digital devices to ensure performance, quality, compatibility, and reliability

- With good power management, you can intelligently control power consumption according to the load
- High-quality 3D NAND boasts reliability and endurance
- Better performance for an improved user experience thanks to PCIe 4.0 interface, NVMe protocol, and HMB and SLC cache technologies
- Compact And Slim

Summary: Lexar NQ790. SSD capacity: 4 TB, SSD form factor: M.2, Read speed: 7000 MB/s, Write

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

speed: 6000 MB/s, Component for: PC | Vendor Homepage: <https://www.lexar.com/product/lexar-nq790-pcie-4-0-ssd/> | Component for: PC | Interface: PCI Express 4.0 | M.2 SSD size: 2280 (22 x 80 mm) | Mean time between failures (MTBF): 1500000 | Memory type: 3D NAND | NVMe: Yes | NVMe version: 1.4 | Random read (4KB): 800000 | Random write (4KB): 600000 | Read speed: 7000 | SSD capacity: 4000 | SSD form factor: M.2 | TBW rating: 2400 | Write speed: 6000 | Depth: 22 | Height: 2.45 | Weight: 6 | Width: 80 | Operating shock: 1500 | Operating temperature (T-T): 0 - 70 | Storage temperature (T-T): -40 - 85 | Vibration resistance: 20 | Model: LNQ790X004T-RNNNG | SSD series: NQ790 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.0003816 | Unit Calculated Weight: 0.061

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903